Structural basis for enzymatic photocatalysis in chlorophyll biosynthesis

DOI:

[10.1038/s41586-019-1685-2](https://doi.org/10.1038/s41586-019-1685-2)

Document Version

Accepted author manuscript

[Link to publication record in Manchester Research Explorer](#)

Citation for published version (APA):

Zhang, S., Heyes, D. J., Feng, L., Sun, W., Johannissen, L. O., Liu, H., Levy, C. W., Li, X., Yang, J., Yu, X., Lin, M., Hardman, S. J. O., Hoeven, R., Sakuma, M., Hay, S., Leys, D., Rao, Z., Zhou, A., Cheng, Q., & Scrutton, N. S. (2019). Structural basis for enzymatic photocatalysis in chlorophyll biosynthesis. *Nature*, 574, 722-725. <https://doi.org/10.1038/s41586-019-1685-2>

Published in:

Nature

Citing this paper

Please note that where the full-text provided on Manchester Research Explorer is the Author Accepted Manuscript or Proof version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version.

General rights

Copyright and moral rights for the publications made accessible in the Research Explorer are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Takedown policy

If you believe that this document breaches copyright please refer to the University of Manchester's Takedown Procedures [<http://man.ac.uk/04Y6Bo>] or contact uml.scholarlycommunications@manchester.ac.uk providing relevant details, so we can investigate your claim.

Structural basis for enzymatic photocatalysis in chlorophyll biosynthesis

Shaowei Zhang^{*1}, Derren J. Heyes^{*1}, Lingling Feng^{*3}, Wenli Sun^{*2}, Linus O. Johannissen^{*1}, Huanting Liu⁶, Colin W. Levy¹, Xuemei Li⁴, Ji Yang⁶, Xiaolan Yu⁶, Min Lin², Samantha J. O. Hardman¹, Robin Hoeven¹, Michiyo Sakuma¹, Sam Hay¹, David Leys¹, Zihe Rao⁴, Aiwu Zhou^{‡3}, Qi Cheng^{‡2,5,6} and Nigel S. Scrutton^{‡1}

¹Manchester Institute of Biotechnology, The University of Manchester, 131 Princess Street, Manchester M1 7DN, UK

²Biotechnology Research Institute, Chinese Academy of Agricultural Sciences, Beijing 100081, China

³Department of Pathophysiology, Key Laboratory of Cell Differentiation and Apoptosis of the Chinese Ministry of Education, Shanghai Jiao Tong University School of Medicine, 280 South Chongqing Rd., Shanghai 200025, China

⁴National Laboratory of Biomacromolecules, Institute of Biophysics, Chinese Academy of Sciences, Beijing 100101, China

⁵College of Biotechnology and Bioengineering, Zhejiang University of Technology, Hangzhou 310014, China

⁶C4-101, Nitrogen Fixation Laboratory, Qi Institute, 555 Chuangye Road, Dayun Town, Jiashan County, Jiaxing 314000, Zhejiang Province, China

*These authors contributed equally to this work.

‡Correspondence can be addressed to: nigel.scrutton@manchester.ac.uk; chengqi@caas.cn; awz20@shsmu.edu.cn

The enzyme protochlorophyllide oxidoreductase (POR) catalyses a light-dependent step in chlorophyll biosynthesis that is essential to photosynthesis and ultimately all life on Earth.¹⁻³ POR, which is one of three known light-dependent enzymes,^{4,5} catalyzes reduction of the photosensitizer and substrate protochlorophyllide to form the pigment chlorophyllide. Despite its biological importance, a structural basis for POR photocatalysis has remained elusive. Here, we report crystal structures of cyanobacterial PORs from *Thermosynechococcus elongatus* and *Synechocystis* sp. in their free forms, and in complex with nicotinamide coenzyme. Our structural models and simulations of the ternary protochlorophyllide-NADPH-POR complex have identified multiple interactions in the POR active site that are important for protochlorophyllide binding, photosensitization and photochemical conversion to chlorophyllide. We demonstrate the importance of active-site architecture and protochlorophyllide structure in experiments using POR variants and protochlorophyllide analogues. These studies reveal how the POR active site facilitates light-driven reduction of protochlorophyllide by localized hydride transfer from NADPH and long-range proton transfer along structurally defined proton-transfer pathways.

As the light-driven step in the chlorophyll biosynthetic pathway (Fig. 1), the POR reaction acts as the trigger for the germination of seedlings in plants and provokes a marked change in the morphological development of the plant.^{2,3} Given this crucial biological role, POR has been the focus of numerous mechanistic and biophysical investigations. A combination of time-resolved (at the femtosecond-to-second scale) and cryogenic spectroscopy methods have provided some understanding of the mechanism of POR photocatalysis in a range of photosynthetic organisms, including cyanobacteria and plants. Picosecond excited-state dynamics in the protochlorophyllide (Pchlde) molecule are thought to result in excited state interactions between the substrate and active-site residues that are necessary to trigger the subsequent reaction chemistry.⁶⁻¹² This involves sequential transfer of a hydride equivalent from NADPH and a proton transfer from either an active site residue or solvent. Proton transfer is reliant on solvent dynamics and an implied network of extended protein motions that occur on the microsecond timescale.¹³⁻¹⁷ Hydride transfer from NADPH is not concerted, but occurs in a stepwise manner that involves

Pchlide excited-state electron transfer from NADPH followed by a proton-coupled electron transfer,¹⁸ which represents the first example of the stepwise transfer of a hydride equivalent reported in biology. These time-resolved studies have provided insight into the chemistry of catalysis across a wide range of timescales (from the femtosecond to the second), but the required structural basis of POR photocatalysis has remained unknown. This structural context is urgently required to understand how substrate binding, excited-state chemistry, bond making and/or breaking and the dynamics of photocatalysis are controlled by protein structure.

Here we report the crystal structures of the apo-POR enzyme from *T.elongatus* (RCSB Protein Data Bank (PDB) code 6RNV), and NADPH-bound POR from both *Synechocystis* sp, and *T. elongatus* (PDB codes 6G08 and 6RNW respectively)(Extended Data Table 1a, Supplementary Methods), solved at 1.3 Å, 1.9 Å and 1.9 Å resolution, respectively (Fig. 2 and Extended Data Figure 1). As a member of the short-chain dehydrogenase and reductase (SDR) family of enzymes, the overall structure of POR is similar to that of other members of the SDR family¹⁹ and has a typical dinucleotide-binding Rossmann fold, which comprises a central β -sheet surrounded by six α -helices (Extended Data Figs. 1, 2). Three flexible regions of the structure (residues 146-160, 228-255 and 284-291; hereafter denoted R1, R2 and R3, respectively) are not observed in the *T. elongatus* electron density. This observation is consistent with molecular-dynamics simulations of both the apo- and coenzyme-bound structures (Extended Data Fig. 3), which indicates these regions have a high degree of flexibility. Despite this, both the R1 region and the R2 region are ordered in the coenzyme-bound structure of *Synechocystis* POR and implicated in coenzyme binding to POR. A short loop (residues 223-229) within the R2 region extends from the central β -sheet, covers the nicotinamide moiety of the NADPH and becomes ordered upon binding of the coenzyme. A similar loop is observed over the coenzyme-binding pocket of other SDR enzymes, and it has previously been shown that coenzyme binding causes the extended area around the loop to form two short α -helices that act as a lid to cover the active site, which leads to a ‘closed’ conformation.²⁰⁻²³ In this region of *Synechocystis* POR, only one longer α -helix (residues 230-239, hereafter referred to as helix 1)(Fig. 2a) is observed – although an additional loop (residues 148-159, hereafter referred to as loop 1) (Fig.

2a) which extends from the central β -sheet, is located near helix 1. It appears that loop 1, which is conserved in POR enzymes (Extended Data Fig. 1e, Supplementary Fig.1), and helix 1 are important in controlling the subsequent binding of the Pchlide substrate.

Beyond the loop regions, our POR crystal structures identify other residues that are important to coenzyme binding. The SDR family of proteins uses an Asn-Ser-Tyr-Lys catalytic tetrad for proton transfer and stabilization of reaction intermediates,¹⁹ however, in POR a Thr residue (Thr145) often replaces the Ser residue (Supplementary Fig. 1). Crystal structures of the binary POR–NADPH complex show that three of these residues – Asn90, Tyr193 and Lys197 (numbering refers to the *T. elongatus* POR), are directly hydrogen-bonded to the coenzyme (Fig. 2b, c). Also, Arg38, Lys42 and Asp63 interact with the coenzyme via a hydrogen-bonding network to the 2' phosphate of the molecule (Fig. 2b, c and Extended Data Fig. 4). Arg38 is implicated in coenzyme binding and release as it adopts alternative conformations in the different POR structures (Fig. 2d), a hypothesis that is further supported by the reduced NADPH binding affinity observed in an R38V variant.²⁴ A water channel surrounding the Tyr193 and Lys197 residues of the active site is also identified in our structures, which could act as a potential proton relay network during catalysis (Fig. 2e).

Despite extensive efforts, crystals of the ternary POR complex (comprising POR, Pchlide and NADP(H)) were not obtained, as a result of the enzyme adopting an array of oligomeric states on binding the substrate (Supplementary Fig.2). We therefore used molecular docking to produce an initial model for the structure of the POR-Pchlide-NADPH ternary complex, followed by simulated annealing molecular dynamics simulations and umbrella sampling to calculate the potential of mean force for Pchlide binding (Extended Data Figs. 3,5). Although the potential of mean force changes over the time course of the simulation, the lowest energy conformation and the approximate dissociation energy remain stable and well-defined (Extended Data Fig. 5d, e). The resulting binding energy of about 35 kJmol⁻¹ (which corresponds to a dissociation constant of 0.8 μ M) agrees well with the experimental dissociation

constant of about 2 μM (Extended Data Table 1b, Supplementary Fig. 3). The lowest energy conformation yields a ternary complex structure that is more rigid than the flexible, highly mobile structures that were observed for apo-POR and POR-NADPH (Extended Data Fig. 3a-c). In the ternary complex structure, helix 1 folds over the Pchlide and, together with loop 1, forms a lid over the active site (Fig. 3a). The hydrophobic edge of Pchlide points towards hydrophobic regions of the enzyme (including the residues in helix 1) while the keto, methylester and carboxylic acid groups of the Pchlide molecule are positioned in a hydrophilic pocket (Fig. 3b). This provides numerous hydrogen-bonding opportunities and positions Pchlide in an orientation that is consistent with the required stereochemistry of hydride and proton transfer (Fig. 3c and Extended Data Fig. 5). Specific interactions include a salt bridge between Lys197 and the carboxylic acid side chain at the C-17 position, which also forms a hydrogen bond to Thr145. The central Mg^{2+} ion of Pchlide is ligated to two water molecules, one of which appears to be part of a water network that also involves hydrogen bonds to Tyr223 and the methylester at the C-15 position.

The photocatalytic implications of the determined structures and models of the active ternary complex were investigated using activity, binding and inhibition studies of site-directed variants and analogues of Pchlide with modifications to substituent groups that are of potential importance to enzyme mechanism (Extended Data Fig. 6, Extended Data Table 1b, Supplementary Figs. S3-8). Pchlide analogues were altered in the nature of the substituents on ring E, the central Mg^{2+} ion and the carboxylic acid sidechain at the C-17 position, all of which have previously been inferred as being important in POR-catalyzed photoreduction.²⁵ An analogue in which the propionic acid sidechain at the C-17 position is exchanged for a methylester group does not bind to POR. This analogue is also not a competitive inhibitor of the natural enzyme-catalyzed reaction. This emphasizes the importance of this propionic acid side chain in Pchlide binding to the POR active site, consistent with our structural models. Mutagenesis of Lys197 or Thr145 also leads to an impaired ability of POR to bind Pchlide substrate.^{24,26} This finding is consistent with the identified salt bridge and hydrogen bond made by these residues in their interaction with the propionic acid side chain of Pchilde. Additional Pchlide analogues modified at a range of locations of the porphyrin retain an ability to bind to the enzyme. These analogues also act as

competitive inhibitors, albeit with affinities that are reduced compared to Pchl_{ide} itself (Extended Data Fig. 6, Extended Data Table 1b). Loss of the central Mg²⁺ ion and the keto group (C-13 position) led to about a 3-5-fold increase in *K_d*, as expected from proposed roles in binding via coordination with water molecules in the active site. Although Lys156 is situated in the loop region of the lid (in close proximity to Pchl_{ide}), activity measurements using a K156A variant indicate that Lys156 is not important for binding (Extended Data Table 1b, Supplementary Fig. 8). This is consistent with the lack of hydrogen-bonding from Lys156 to Pchl_{ide} in the final model of the ternary complex. Molecular-dynamics simulations indicate Tyr223 facilitates the binding of Pchl_{ide} in the orientation that is required for catalysis via hydrogen bonding to the keto group at an intermediary phase in the binding process (*R₀* of about 17 Å in the potential of mean force in Extended Data Figs. 5, 7) but does not directly interact with Pchl_{ide} in the ternary complex (Extended Data Fig. 6, Supplementary Video 1). This is consistent with experimental binding data where a significant reduction of about four- and tenfold is observed in the binding of Pchl_{ide} to Y223F and Y223A variants of the PORs (Extended Data Table 1b, Supplementary Fig. 8).

The POR crystal structures and ternary complex model now provide a structural basis to understand light-activated catalysis in POR. The extensive hydrogen-bonding network identified between active-site residues and Pchl_{ide} is likely to be essential for photochemistry, and these interactions are proposed to strengthen in the excited state to create an electron-deficient site at the C-17–C-18 double bond.^{9,10} The central Mg²⁺ ion and keto group at the C-13 position of the Pchl_{ide} are also important to Pchl_{ide} photochemistry (=Extended Data Fig. 8, Supplementary Fig. 9), as they facilitate charge separation across the Pchl_{ide} during photoexcitation.¹¹ The active-site architecture of POR (Extended Data Fig. 9) is finely tuned to facilitate this excited-state charge separation and to stabilize the strengthened dipole across the Pchl_{ide} molecule (Fig. 4). The positive end of the dipole is located within the hydrophobic pocket of the active site, in which it is stabilized by π - π stacking interactions with a conserved Phe residue. By contrast, the negative end of the dipole is found in a region of polar residues. Interactions between Thr145 and Lys197 of POR and the propionic acid side chain of Pchl_{ide} at C-17 are important to excited-state chemistry, as shown

by the fact that changes to either residue results in impaired photochemistry.^{10,24,26} These excited-state interactions between Pchlide and POR stabilize a highly polarized C-17–C-18 double bond and enable stepwise hydride transfer from NADPH to C-17.¹⁸ The polarized nature of the C-17–C-18 bond may also be stabilized by the close proximity of the hydroxyl group of Tyr193, which is known to be required for Pchlide photochemistry.¹⁰ By contrast, Tyr223 does not form any direct interaction with Pchlide (Extended Data Fig. 6, Extended Data Table 1b) and – consistent with this finding – the POR variants Y223A and Y223F are able to catalyze hydride transfer from NADPH to Pchlide (Supplementary Figs. 10, 11). The donor-acceptor distance between the NADPH *pro-S* hydrogen and Pchlide C-17 is 4.5 ± 0.3 Å (Extended Data Fig. 6b), but this may change slightly upon photoexcitation of the Pchlide molecule. The subsequent transfer of a second proton to C-18 of Pchlide is from the strictly conserved Tyr193 of POR^{14,26} (Extended Data Fig. 6c) with a donor-acceptor distance of 4.9 ± 0.4 Å in our model – although this distance may change upon formation of a Pchlide anion following reduction of the C-17–C-18 double bond. In reactions catalyzed by other members of the SDR family, the catalytic Tyr is replenished through a proton relay mechanism.¹⁹ In the basis of the crystal structures reported here, the adjacent Lys197 is implicated in modulating the ionization properties of Tyr193. As the Y223A and Y223F variants of POR possess reduced rates of proton transfer (Supplementary Fig. 11), the water network coordinated by Tyr223 may also be important in this proton relay mechanism. The crystal structure of POR reported here should enable computational and time-resolved structural–mechanistic studies of the complete enzyme reaction cycle to provide the spatial, temporal and energetic understanding across multiple timescales (for example femtoseconds-to-seconds), and thereby address a major challenge in biological catalysis.

References

1. Yang, J. & Cheng, Q. Origin and evolution of the light-dependent protochlorophyllide oxidase (LPOR) genes. *Plant Biol.* **6**, 537-544 (2004).
2. Scrutton, N.S., Groot, M.L., Heyes, D.J. Excited state dynamics and catalytic mechanism of the light-driven enzyme protochlorophyllide oxidoreductase. *Phys Chem Chem Phys* **14**, 8818-8824 (2012).
3. Gabruk, M. & Mysliwia-Kurdziel, B. Light-dependent protochlorophyllide oxidoreductase: phylogeny, regulation, and catalytic properties. *Biochemistry* **54**, 5255-5262 (2015).
4. Aubert, C., Vos, M. H., Mathis, P., Eker, A. P. & Brettel, K. Intraprotein radical transfer during photoactivation of DNA photolyase. *Nature* **405**, 586-590 (2000).
5. Sorigue, D. *et al* An algal photoenzyme converts fatty acids to hydrocarbons. *Science* **357**, 903-907 (2017).
6. Dietzek, B. *et al* Excited-state processes in protochlorophyllide a a femtosecond time-resolved absorption study. *Chem. Phys. Lett.* **397**, 110-115 (2004).
7. Dietzek, B. *et al* Dynamics of charge separation in the excited-state chemistry of protochlorophyllide. *Chem. Phys. Lett.* **492**, 157-163 (2010).
8. Sytina, O.A. *et al* Protochlorophyllide excited-state dynamics in organic solvents studied by time-resolved visible and mid-infrared spectroscopy. *J. Phys. Chem. B* **114**, 4335-4344 (2010).
9. Zhao, G.J., Han, K.L. Site-specific solvation of the photoexcited protochlorophyllide a in methanol: formation of the hydrogen-bonded intermediate state induced by hydrogen-bond strengthening. *Biophys. J.* **94**, 38-46 (2008).
10. Heyes, D.J. *et al* Excited state charge separation in the photochemical mechanism of the light-driven enzyme protochlorophyllide oxidoreductase. *Angewandte Chemie Intl. Ed.* **54**, 1512-1515 (2015).

11. Heyes, D.J. *et al* Excited-State Properties of Protochlorophyllide Analogues and Implications for Light-Driven Synthesis of Chlorophyll. *J. Phys. Chem. B.*, **121**, 1312-1320 (2017).
12. Brandariz-de-Pedro, G. *et al* Direct Evidence of an Excited-State Triplet Species upon Photoactivation of the Chlorophyll Precursor Protochlorophyllide. *J. Phys. Chem. Lett.* **8**, 1219-81223 (2017).
13. Heyes, D.J. *et al*. The first catalytic step of the light-driven enzyme protochlorophyllide oxidoreductase proceeds via a charge transfer complex. *J. Biol. Chem.* **281**, 26847–26853 (2006).
14. Heyes, D.J., Sakuma, M., de Visser, S., Scrutton, N.S. Nuclear quantum tunneling in the light-activated enzyme protochlorophyllide oxidoreductase. *J. Biol. Chem.* **284**, 3762-3767 (2009).
15. Heyes, D. J., Sakuma, M. & Scrutton, N. S. Solvent-slaved protein motions accompany proton but not hydride tunneling in light-activated protochlorophyllide oxidoreductase, *Angew. Chem. Int. Edit.* **48**, 3850-3853 (2009).
16. Heyes, D. J., Levy, C., Sakuma, M., Robertson, D. L. & Scrutton, N. S. A Twin-track Approach Has Optimized Proton and Hydride Transfer by Dynamically Coupled Tunneling during the Evolution of Protochlorophyllide Oxidoreductase. *J. Biol. Chem.* **286**, 11849-11854 (2011).
17. Hoeven, R., Hardman, S. J. O., Heyes, D. J. & Scrutton, N. S. Cross-species analysis of protein dynamics associated with hydride and proton transfer in the catalytic cycle of the light-driven enzyme protochlorophyllide oxidoreductase, *Biochemistry* **55**, 903-913 (2016).
18. Archipowa, N., Kutta, R.J., Heyes, D.J. & Scrutton, N.S. Stepwise Hydride Transfer in a Biological System: Insights into the Reaction Mechanism of the Light-Dependent Protochlorophyllide Oxidoreductase. *Angew. Chem. Int. Ed.* **57**, 2682-2686 (2018).
19. Kavanagh, K. L., Jornvall, H., Persson, B. & Oppermann, U. Medium- and short-chain dehydrogenase/reductase gene and protein families : the SDR

superfamily: functional and structural diversity within a family of metabolic and regulatory enzymes. *Cell Mol. Life Sci.* **65**, 3895-3906 (2008).

20. Korman, T. P., Tan, Y. H., Wong, J., Luo, R. & Tsai, S. C. Inhibition kinetics and emodin cocrystal structure of a type II polyketide ketoreductase. *Biochemistry* **47**, 1837-1847 (2008).
21. Javidpour, P. *et al.* The Determinants of Activity and Specificity in Actinorhodin Type II Polyketide Ketoreductase. *Chem. Biol.* **20**, 1225-1234 (2013).
22. Blaise, M., Van Wyk, N., Baneres-Roquet, F., Guerardel, Y. & Kremer, L. Binding of NADP(+) triggers an open-to-closed transition in a mycobacterial FabG beta-ketoacyl-ACP reductase. *Biochem. J.* **474**, 907-921 (2017).
23. Zhao, F. J. *et al.* Crystal structure and iterative saturation mutagenesis of ChKRED20 for expanded catalytic scope. *Appl. Microbiol. Biotech.* **101**, 8395-8404 (2017).
24. Menon, B.R.K., Hardman, S.J.O., Scrutton, N.S. & Heyes, D.J. Multiple active site residues are important for photochemical efficiency in the light-activated enzyme protochlorophyllide oxidoreductase (POR). *J. Photochem. Photobiol. B.* **161**, 236-243 (2016).
25. Klement, H., Helfrich, M., Oster, U., Schoch S., Rudiger, W. Pigment-free NADPH:protochlorophyllide oxidoreductase from *Avena sativa* L. *Eur. J. Biochem.* **265**, 862. (1999).
26. Menon, B.R.K., Waltho, J.P., Scrutton, N.S., Heyes, D.J. Cryogenic and laser photoexcitation studies identify multiple roles for active site residues in the light-driven enzyme protochlorophyllide oxidoreductase. *J. Biol. Chem.* **284**, 18160-18166 (2009).

Figure 1. The light-driven reduction of the C-17-C-18 double bond of Pchlide to form chlorophyllide. The reaction is catalysed by POR and is a key regulatory step within the chlorophyll biosynthetic pathway. Catalysis involves excited-state interactions between the Pchlide and protein, which lead to sequential hydride transfer from NADPH to the C-17 position and proton transfer to the C-18 position.

Figure 2. Crystal structures of light-dependent POR. **a**, *Synechocystis* POR crystal structure with NADPH bound in the active site (Supplementary Methods). The regions colored orange are the missing loops in *T. elongatus* POR, which are present in the crystal structure of *Synechocystis* POR. **b**, Structure of the coenzyme-binding site of *T. elongatus* POR. Hydrogen bonds between key residues and NADPH are shown as red dashes. The electron density for NADPH (omit $2F_o - F_c$ map contoured at 1σ) is colored green. **c**, Comparison of the coenzyme-binding site of *T. elongatus* POR and *Synechocystis* POR. The NADPH is colored as green (*T. elongatus*) or red (*Synechocystis*) stick. **d**, Comparison of the conformation of Arg38 in apo- and NADPH-bound structures of *T. elongatus* POR. The electron density for Arg38 ($2F_o - F_c$ map contoured at 1σ) in the apo-POR structure is colored blue; In the NADPH-POR complex, Arg38 is colored cyan. **e**, Potential water channel surrounding key residues in NADPH-bound structure of *T. elongatus* POR. Water molecules are

shown as red balls, and hydrogen bonds between key residues and water molecules are shown as red dashes.

Figure 3. Structural model of the POR-Pchlide-NADPH ternary complex. **a**, The overall structure of the POR-Pchlide-NADPH ternary complex showing the structural changes upon Pchlide binding. The loop, helix and Pchlide molecule colored in green show the Pchlide entering the binding pocket and loop, helix and Pchlide molecule colored in red show the final binding position of Pchlide. **b**, View of the Pchlide binding pocket. The red surface represents hydrophobic residues and the blue surface represents hydrophilic residues. **c**, Structure of active site of the *T. elongatus* POR showing the hydrogen-bonding network around the Pchlide molecule. Water molecules are shown as red balls; potential hydrogen bonds are shown as red dashes.

Figure 4. A structural basis for light-dependent reaction chemistry in POR.

Mechanistic scheme that illustrates potential structural reorganization of Pchlde-binding site upon excitation.

Acknowledgements.

The work was funded by the Engineering and Physical Sciences Research Council (fellowship to N.S.S.; EP/J020192/1). We thank Diamond Light Source beamlines I03 & I04 (proposal numbers MX8997-35, MX12788-8, 19, 42 & 62) and Shanghai Synchrotron Radiation Facility beamlines BL17U1 and BL19U1 for assistance during data collection. Time-resolved visible absorption measurements were performed using instrumentation funded by BBSRC Alert14 Award BB/M011658/1. This work was also supported by MOST 973 Project Biological Nitrogen Fixation (2010CB126504), National Basic Research Program of China (2014CB910304) and National Natural Science Foundation of China (31230004 and 81572090). We thank Ray Dixon (John Innes Centre, Norwich, UK) and Randy Read (University of Cambridge, UK) for early discussions and support. We finally thank C.E.Bauer and Y.Fujita for kindly providing the strain ZY5 for the production of Pchlde.

Author Contributions: D.J.H, A.Z., Q.C. and N.S.S. initiated and coordinated the project. S.Z., Q.C., A.Z., N.S.S., D.L. and D.J.H designed experiments, analysed data and wrote the manuscript with contributions from other authors. S.Z., M.S., L.F., W.S., H.L., J.Y., and X.L. produced and crystallized the proteins. A.Z. and C.W.L.

collected and processed diffraction data and solved the structures. S.H. and L.O.J. performed the docking and molecular dynamics simulations. S.J.O.H. and D.J.H. performed time-resolved spectroscopy measurements. R.H. and M.S. assisted with protein purification and characterisation of POR variants. X.Y., M.L. and Z.R., advised on all aspects. All authors discussed the results and commented on the manuscript.

Author Information. The authors declare there are no financial or non-financial competing interests. Correspondence and request for materials should be addressed to A.Z., Q.C. or N.S.S.

Data availability. The atomic coordinates and experimental data have been deposited in the Protein data Bank with accession codes 6G08, 6RNV and 6RNW. All other data are available from the corresponding authors on reasonable request.

Extended data figures

Figure 1. Crystal structures of *T. elongatus* and *Synechocystis* POR. (a) *T. elongatus* apo-POR. (b) *T. elongatus* POR with bound NADPH. (c) *Synechocystis* POR with bound NADPH. The protein structure is colored according to secondary structure, α-helix cyan, β-sheet magenta and loop green. (d) Alignment of the

different POR crystal structures solved in the present work. Magenta, apo structure of *T. elongatus* POR; yellow, structure of NADPH-bound *T. elongatus* POR; blue, structure of NADPH-bound *Synechocystis* POR. The regions colored orange are the missing loops in *T. elongatus* POR, which are present in the crystal structure of *Synechocystis* POR. (e) Evolutionary conservation of *Synechocystis* POR structure. Based on the phylogenetic relations between homologous sequences, evolutionary conservation of amino acid positions in *Synechocystis* POR protein has been performed through the online ConSurf server.³⁹

Figure 2. Comparison of *Synechocystis* POR structure with SDR family protein β -ketoacyl reductase (PDB: 2B4Q). (a) Overall structure of β -ketoacyl reductase protein (colored by secondary structure). (b) Alignment of *Synechocystis* POR (blue) and 2B4Q (orange). NADPH is shown as a red stick.

Figure 3. Molecular dynamics simulations of *T. elongatus* POR. Overlays of structures from unrestrained MD simulations at 500 ps intervals for (a) apo enzyme, (b) NADPH complex and (c) ternary complex. (d) RMSD (root-mean-squared deviation) vs. time and per-residue RMSF (root-mean squared fluctuation), calculated for the protein non-hydrogen atoms. (e) Distance distributions for the PChlide binding coordinate R_0 and the distances between the hydride donor and acceptor atoms (R_1) and the proton donor and acceptor atoms (R_2).

Figure 4. Electron density map for NADPH bound to *T. elongatus* and *Synechocystis* POR. (a) NADPH anaerobic soaking with *T. elongatus* POR crystal. A low resolution 3.5 Å electron density map (FEM) contoured at 1 sigma (green mesh) along with an Fo-Fc omit map contoured at 4 sigma (magenta mesh) is shown for the NADPH region of an anaerobically soaked *T. elongatus* POR crystal. An all atom coloured stick representation of the aerobically soaked high resolution NADPH-POR structure and associated active site interactions are shown along with a stick representation of the anaerobically soaked NADPH in green. (b) Structure of the NADPH binding site of *Synechocystis* POR. Hydrogen bonds between key residues

and NADPH are shown as red dashes. The electron density for NADPH (omit Fo-Fc map contoured at 3σ) is colored green.

Figure 5. Modelling of the *T. elongatus*-Pchl_a-NADPH ternary complex. Three stages of modelling the *T. elongatus*-Pchl_a-NADPH ternary complex. The structures are aligned and superimposed, with each panel highlighting a different structure in blue (the other two in grey): **(a)** crystal structure with the chosen docked Pchl_a structure; **(b)** the structure after 20 ns annealing; **(c)** the final representative structure. The flexible residues during docking are shown in yellow ball and stick representation and the Pchl_a molecule is shown in green stick representation. **(d)** PMF calculated by umbrella sampling as a function of R_0 (see Methods) for 50 ns umbrella sampling (black) as well as the first 20 ns (blue) and the last 20 ns (red). **(e)** Population distributions for each bin, each sampled for 50 ns. **(f)** PMF was calculated by umbrella sampling as a function of R_0 (distance between Pchl_a Mg²⁺ and lower edge of the POR binding pocket; see Methods). The dip in the PMF at $R_0 \approx 17$ Å corresponds to the formation of a hydrogen bond between Y223 and the Pchl_a keto group.

Figure 6. Configuration of the active site and donor-acceptor distance of the *T. elongatus* POR-NADPH-Pchlide ternary complex model. (a) Active site of the *T. elongatus* POR-NADPH-Pchlide ternary complex. The hydrogen bonding network around the Pchlide and NADPH molecules are shown as red dashes. The donor-acceptor distance for hydride/proton transfer is shown as blue dashes. Water molecules are shown as red balls. (b) View of the active site of *T. elongatus* POR highlighting the donor-acceptor distance for hydride transfer (shown as blue dash). (c) View of the active site of *T. elongatus* POR highlighting the donor-acceptor distance

for proton transfer (shown as blue dash). **(d)** Summary of the activity, binding and inhibition data for the Pchlides analogues. The structures and apparent k_{cat} , K_{m} , K_{d} and K_{i} (where applicable in each case) are shown for Pchlides (**I**), protopheophorbide (**II**), C17 methylester Pchlides (**III**), C13OH Pchlides (**IV**) and C13C15 methylester Pchlides (**V**). The red circles show the regions of the Pchlides molecule that have previously been shown to be important for activity (central Mg, ring E and the side chain at the C17 position). The structures of all of the Pchlides derivatives described in the present study are shown with the modifications indicated by dashed red circles.

Figure 7. Hydrogen bonding interactions between Tyr223 and the C13 keto group during Pchlide binding. Change in hydrogen bonding between Tyr223 and Pchlide C13 keto group during Pchlide binding. **(a-g).** Plots of the distance R_0 between Pchlide Mg^{2+} and base of POR binding pocket (black) and the distance R_{HB} between the Tyr223 hydroxy proton and keto oxygen (blue) from 20 ns MD simulations at increasing R_0 values; **(h)** average R_{HB} for each 0.5 Å bin for R_0 ; **(i)** extended 100 ns MD simulation with R_0 restrained at 1.7 Å to further illustrate the

stability of the hydrogen bond between Y223 and keto group. As the Pchlde leaves the binding pocket (from **j** to **m**), the protein backbone is shown as a gray cartoon, the Tyr 223 residue is free to move around and form a transient hydrogen bond with the C13 keto group of Pchlde to 'guide' the Pchlde into its final orientation. At each stage the Pchlde and Y223 molecules have been highlighted with thicker sticks in the figure.

Figure 8. Evolution Associated Difference Spectra (EADS) resulting from global analysis using a sequential model of visible transient absorption data collected between 0.6 ns and 2.7 μs. EADS are shown for Pchlde (a), POR with NADPH and Pchlde (b), protopheophorbide (c), POR with NADPH and protopheophorbide (d), C13C15 methylester Pchlde (e), POR with NADPH and C13C15 methylester pchlde (f), C13OH Pchlde (g), POR with NADPH and C13OH Pchlde (h). All data could be fitted using 2 EADS, except for POR with NADPH and Pchlde, which required 3 EADS due to the formation of the hydride transfer intermediate (see spectrum in red in b). The absence of any additional intermediates for the Pchlde analogues in the presence of POR implies impaired photochemistry.

a

b

Figure 9. Potential interactions in *T. elongatus* POR ternary complex model. (a) The Pchlide molecule was chosen as the ligand, POR protein and solvent were chosen as the receptor. The 2D interaction map was calculated through Molecular Operating Environment software (Chemical Computing Group). (b) The NADPH molecule was chosen as the ligand, POR protein and solvent were chosen as the receptor. The 2D interaction map was calculated through Molecular Operating Environment software (Chemical Computing Group).

Extended data tables

	TePOR*	TePOR-NADPH	SsPOR-NADPH
Data collection			
Space group	P 3 ₁ 2 1	P 3 ₁ 2 1	P 2 ₁ 2 2 ₁
Cell dimensions			
<i>a</i> , <i>b</i> , <i>c</i> (Å)	66.85 66.85 133.01	66.99 66.99 131.97	56.96 72.89 155.99
α , β , γ (°)	90 90 120	90 90 120	90 90 90
Resolution (Å)	53.08 - 1.27 (1.315 - 1.27)**	43.57 - 2.1 (2.175 - 2.1)	28.57 - 1.87 (1.91- 1.87)
<i>R</i> _{merge}	0.0928 (0.8745)	0.1092 (0.7126)	0.097 (0.881)
<i>I</i> / σ <i>I</i>	14.73 (2.36)	12.60 (3.18)	11.80 (2.1)
Completeness (%)	98.76 (96.46)	99.96 (100.00)	94.90 (86.50)
Redundancy	17.5 (12.1)	9.2 (8.9)	5.6 (6.0)
Refinement			
Resolution (Å)	53.08 - 1.27 (1.315 - 1.27)	43.57 - 2.1 (2.175 - 2.1)	28.57 - 1.87 (1.91- 1.87)
No. reflections	91463 (9068)	20674 (2023)	51836 (3223)
<i>R</i> _{work} / <i>R</i> _{free}	0.1526 / 0.1858	0.1672 / 0.1997	0.170 / 0.179
No. atoms			
Protein	2309	2224	4761
Ligand/ion	2	48	97
Water	363	158	416
<i>B</i> -factors (Å ²)			
Protein	19.09	37.01	23.2
Ligand/ion	21.17	50.22	15.2
Water	34.55	41.16	32.4
R.m.s. deviations			
Bond lengths (Å)	0.010	0.007	0.019
Bond angles (°)	1.17	0.7	1.472

Pchlde and its analouge or TePOR variants	<i>k</i> _{cat}	<i>K</i> _m / <i>K</i> _i Pchlde ¹	<i>K</i> _d Pchlde	<i>k</i> _{hydride}	<i>k</i> _{proton}
	(s ⁻¹)	(μM)	(μM)	(×10 ⁶ s ⁻¹)	(×10 ⁴ s ⁻¹)
Pchlde (I)	0.023 ± 0.001	3.6 ± 0.4	1.9 ± 0.7	2.36 ± 0.11	2.23 ± 0.05
Protopheophorbide (II)	NA	8.5 ± 0.3	9.7 ± 3.5	NA	NA
C17 methylester Pchlde (III)	NA	NA	NA	NA	NA
C13OH Pchlde (IV)	NA	9.7 ± 1.1	6.1 ± 1.2	NA	NA
C13C15 methylester Pchlde (V)	NA	50.8 ± 3.6	46.7 ± 4.6	NA	NA
K156A	0.017 ± 0.001	3.11 ± 0.55	NA	2.40 ± 0.03	2.26 ± 0.14
Y223A	0.020 ± 0.004	33.2 ± 10.2	NA	1.77 ± 0.42	2.39 ± 0.46
Y223F	0.017 ± 0.001	11.6 ± 1.98	NA	1.80 ± 0.15	0.93 ± 0.07

Table 1. Data collection and kinetics parameters of POR

(a) Data collection and refinement statistics (molecular replacement). *A single crystal was used for each data collection. **Values in parentheses are for highest-resolution shell. (b) Kinetics parameters of *T. elongatus* POR substrate analogues and variants. 1K_i values were measured for non-active substrate analogues. NA: not applicable for non-active substrate analogues. The values shown in the table are mean $\pm$ standard error, n=3 for steady state kinetics measurements, n=5 for hydride and proton transfer measurements.

Structural basis for enzymatic photocatalysis in chlorophyll biosynthesis

Shaowei Zhang^{*1}, Derren J. Heyes^{*1}, Lingling Feng^{*3}, Wenli Sun^{*2}, Linus O. Johannissen^{*1}, Huanting Liu⁶, Colin W. Levy¹, Xuemei Li⁴, Ji Yang⁶, Xiaolan Yu⁶, Min Lin², Samantha J. O. Hardman¹, Robin Hoeven¹, Michiyo Sakuma¹, Sam Hay¹, David Leys¹, Zihe Rao⁴, Aiwu Zhou^{‡3}, Qi Cheng^{‡2,5,6} and Nigel S. Scrutton^{‡1}

¹Manchester Institute of Biotechnology, The University of Manchester, 131 Princess Street, Manchester M1 7DN, UK

²Biotechnology Research Institute, Chinese Academy of Agricultural Sciences, Beijing 100081, China

³Department of Pathophysiology, Key Laboratory of Cell Differentiation and Apoptosis of the Chinese Ministry of Education, Shanghai Jiao Tong University School of Medicine, 280 South Chongqing Rd., Shanghai 200025, China

⁴National Laboratory of Biomacromolecules, Institute of Biophysics, Chinese Academy of Sciences, Beijing 100101, China

⁵College of Biotechnology and Bioengineering, Zhejiang University of Technology, Hangzhou 310014, China

⁶C4-101, Nitrogen Fixation Laboratory, Qi Institute, 555 Chuangye Road, Dayun Town, Jiashan County, Jiaxing 314000, Zhejiang Province, China

*These authors contributed equally to this work.

‡Correspondence can be addressed to: nigel.scrutton@manchester.ac.uk; chengqi@caas.cn; awz20@shsmu.edu.cn

Supporting information

Content

1. Supplementary Methods
2. Supplementary Figures
3. Supplementary Tables
4. MD Parameters for NADPH and PChlide

1. Supplementary Methods

Sample preparation and site directed mutagenesis

All chemicals were obtained from Sigma-Aldrich. The POR gene from *Thermosynechococcus elongatus* was codon optimized for overexpression in *E. coli*, synthesized (GeneArt, ThermoFisher) and subcloned into pET21a with a C-terminal 6-His tag. The *Synechocystis* PC6803 POR gene was cloned into the pE-SUMO3 expression vector.²⁷ Site-directed mutagenesis of the *por* gene was performed using the QuikChange kit (Stratagene) to mutate residues. The primers that were used (MWG Eurofins, Germany) are shown in the supplementary information (Table S1). The correct mutations were confirmed by DNA sequencing (MWG Eurofins, Germany). The recombinant plasmids were transformed into *E. coli* BL21 (DE3) and protein was expressed by growing transformed cells in LB containing 100 µg/mL ampicillin at 25°C until OD₆₀₀ reached 0.6-0.8 followed by induction with 0.3mM isopropyl-β-D-thiogalactopyranoside overnight. Cells were harvested by centrifugation at 6 krpm for 10 minutes at 4°C, resuspended in lysis buffer (20 mM HEPES pH 7.5, 500 mM NaCl, 25 mM imidazole, 1 mM DTT for *T. elongatus* POR or 20 mM Tris-HCl, pH 7.4, 300 mM NaCl, and 20mM imidazole for *Synechocystis* POR) and lysed by sonication (15 x 15 s). After centrifugation at 20,000 rpm for 1 hour at 4°C the supernatant was loaded onto a 5-ml HiTrap FF crude column and eluted by a 0.02–0.3 M imidazole gradient. The *Synechocystis* POR was treated with protease SENP2 to remove the SUMO tag, dialyzed into 20 mM Tris-HCl pH 7.4, 0.05 M NaCl, loaded onto a 5-ml Hitrap Q HP column and eluted by a NaCl gradient (0.05–0.5 M). Both proteins were further purified by a Superdex 75 gel filtration column and pure protein fractions were collected and concentrated for crystallization.

Crystallization, data collection, and structure determination

Synechocystis POR was concentrated to 26 mg/ml in 20 mM Tris-HCl pH 7.4, 150 mM NaCl and *T. elongatus* POR was concentrated to 10 to 15 mg/mL in 20 mM HEPES pH 7.5, 150 mM NaCl and 1 mM DTT. Crystallization was performed using the sitting drop vapor diffusion technique (200 μ L crystallization reagent mixed with 180 μ L protein and 20 μ L seed stock). For *T. elongatus* POR, crystals were obtained from 0.01 M zinc chloride, 0.1 M sodium acetate pH 5.0, 20 % w/v PEG 6K (A12, PACT screen, Molecular Dimensions Ltd., Newmarket, UK) after incubation at 4°C over a period of ~72 h. For *Synechocystis* POR crystals were obtained with 20 % PEG3350 in 0.2 M tri-lithium citrate, 0.01 M zinc chloride after incubation at 20°C for approximately 10 days. Although coenzyme-bound POR crystals were obtained by soaking (*T. elongatus*) or co-crystallization (*Synechocystis*) with NADPH, it should be noted that this form of the coenzyme is unstable and it is likely that crystals contained a mixture of NADPH or NADP⁺ as the bound ligand. It is impossible to distinguish which form of the coenzyme is present in the crystals as similar R factor and R free values are obtained for each (NADP⁺: R=0.1550, R free= 0.1930, NADPH: R=0.1549, R free= 0.1930). However, lower resolution data obtained from crystals of *T. elongatus* POR soaked for 5 minutes under strictly anaerobic conditions with NADPH (thus avoiding formation of NADP⁺) reveal the coenzyme binds in a similar conformation (Extended data Figure 4). Crystals were cryo protected with the addition of 20% PEG 200 to the reservoir solution prior to flash cooling in liquid nitrogen. Individual datasets were collected from single cryo protected crystals at beamlines i03, i04 and i04-1 (Diamond Light Source) for *T. elongatus* POR and at SSRF BL17U beamline for *Synechocystis* POR. All data were indexed, scaled and subsequently integrated with Xia2. Structure determination was initially performed by molecular replacement in Phaser using a search model derived from the previously solved oxidoreductase structure from *Mycobacterium paratuberculosis* (3RD5). A combination of automated and manual rebuilding and refinement in Phenix and COOT were used to produce each of the refined models. Validation with both Molprobit and PDB_REDO were integrated into the iterative rebuild process. Complete data collection and refinement statistics are available in Extended data Table 1b. The atomic coordinates and experimental data have been deposited in the Protein Data Bank (www.pdb.org). All figures were made using PyMOL software. It was not possible to obtain crystals of the ternary complex, either by co-crystallization or by soaking. To prepare the ternary complex, the purified POR protein was incubated overnight with equal molar concentration of Pchlide and excess NADPH (more than 10 fold) at room temperature. The sample was concentrated and loaded onto a gel filtration column (Superdex 200) in 20 mM

HEPES buffer with 150 mM NaCl and 1mM DTT. Binding of the Pchlride substrate causes oligomerization of the POR protein (Figure S2), resulting in an inhomogeneous mixture of oligomeric states of protein.

Synthesis of Pchlride and Pchlride analogues

The Pchlride substrate was produced and purified *Rhodobacter capsulatus* ZY5 cultures.²⁸ All Pchlride analogues were synthesized from pheophorbide *a* and analyzed by NMR and mass spectrometry analyses.¹¹

Steady-state activity and substrate binding measurements.

The concentrations of the different pigments were determined using the following extinction coefficients in aqueous solution: NADPH, 6.22 mM⁻¹cm⁻¹ at 340 nm; Pchlride, 24.95 mM⁻¹cm⁻¹ at 630 nm; and Chlide, 69.95 mM⁻¹cm⁻¹ at 670 nm. Steady-state activity measurements were carried out at 40°C using a Cary 50 spectrophotometer (Agilent Technologies) to measure the initial rates of Chlide production over a range of Pchlride concentrations of 0.1 μM POR and 100 μM NADPH in 0.1 % Triton X-100, 0.1 % (v/v) 2-mercaptoethanol, 50 mM Tris/HCl, pH 7.5. A 625 nm high power LED (Thorlabs Inc.) provided continuous illumination (100 μmole m⁻² s⁻¹) during the reaction assay. The K_m and V_{max} values were obtained by fitting the initial rates of Chlide synthesis against the concentration of Pchlride to the following equation:

$$v = \frac{V_{max}[\text{Pchlride}]}{K_m + [\text{Pchlride}]}$$

Activity assays to measure the apparent inhibition constants (K_i^{app}) for Pchlride analogues were performed using 0.1 μM POR, 10 μM Pchlride and 100 μM NADPH over a range of Pchlride analogue concentrations. The K_i^{app} values for the analogues were obtained by plotting the percentage inhibition versus the analogue concentration and fitting to the Morrison equation:

$$\frac{v_i}{v_0} = 1 - \frac{([E] + [I] + K_i^{app}) - \sqrt{([E] + [I] + K_i^{app})^2 - 4[E][I]}}{2[E]}$$

The binding of Pchlride was measured by following the red-shift in absorbance at 642 nm and the binding of the Pchlride analogues was monitored by measuring changes in fluorescence emission spectra at increasing POR concentrations in a Cary Eclipse fluorimeter (Agilent

Technologies), using an excitation wavelength of 430 nm and slit widths of 5 nm. The apparent K_d values were obtained by fitting the absorbance or fluorescence changes (Δspec) against the concentration of POR using the following equation:

$$\Delta\text{spec} = \frac{\Delta\text{spec}_{\text{max}}[\text{POR}]}{K_d + [\text{POR}]} + c$$

All data were fitted using Origin 9.0 Software (OriginLab, Northampton, MA).

Laser flash photolysis

Absorption transients at 696 nm were measured in a 1 cm pathlength cuvette at 298 K using an LKS-60 flash photolysis instrument (Applied Photophysics Ltd).¹⁴ Dark assembled enzyme-NADPH-Pchlide ternary complex samples were excited with a 6 ns laser pulse at 532 nm (~180 mJ) using the second harmonic of a Q-switched Nd-YAG laser (Brilliant B, Quantel). The reaction samples were prepared by taking 1 μM Pchlide and 250 μM NADPH in the presence of 50 μM enzyme for wild-type POR and 100 μM enzyme for the Y223F and Y223A variants. Rate constants were measured from the average of at least five time dependent absorption measurements by fitting to a single exponential function.

Ultrafast pump-probe transient absorption spectroscopy.

Measurements were carried out as described previously¹⁹ using an excitation wavelength of 450 nm with 0.5 μJ pulse power and a beam diameter of ~ 150 μm . Samples (1.5 ml) were flowed at a rate of approximately 30 ml/min through a 0.2 mm pathlength quartz cell (at room temperature) to ensure that a different area of the sample is excited with each pump laser pulse. Samples were measured upon for <5 minutes to prevent any signals arising from any Chlide product in the reaction mixture. Samples were prepared in the dark containing 500 μM POR, 200 μM Pchlide (or Pchlide analogue) and 4 mM NADPH in 50 mM Tris-HCl, pH 7.5 with 0.1 % 2-mercaptoethanol, and 0.5 % Triton X-100. Data were collected for approximately 30 mins per dataset at random time delays ranging between 300 fs and 2 μs and the datasets were analyzed globally using the open-source software Glotaran.²⁹

Computational methods

1. Building a full-length ternary structure of *T. elongatus* POR. A full-length model of *T. elongatus* POR was built from the NADPH-bound *T. elongatus* crystal structure with the missing loops taken from the NADPH-bound *Synechocystis* crystal structure, with necessary mutations (Figure S1) performed using Scwrl4.³⁰

2. Molecular Docking. Initial structures of Pchl_a-bound *T. elongatus* POR were generated by docking using AutoDock Vina.³¹ Loop 1 and helix 1 were not included as these are very flexible regions whose precise conformations will affect the conformation of Pchl_a. The search volume was a cube with 60 Å sides with the nicotinamide nitrogen of NADPH as the centre and an exhaustiveness of 75 was used to generate 20 conformations. The following residues were flexible during the docking: Y94, T145, K194 and Y223. Crystallographic waters were not included in the docking process. The highest-scoring structure that is consistent with the stereochemistry was selected for further modelling. Loop 1 and helix 1 were rebuilt before further modelling.

3. Molecular Dynamics (MD) simulations parameters. All MD simulations were carried out in Gromacs 5.0.4³² using the Amber14 force field³³ with the system in a solvation box of at least 12 Å with counter-ions generated in AmberTools, retaining crystallographic waters, totalling 48,561 atoms for the ternary complex and 48,483 and 48,416 atoms for the NADPH-bound and apo structures, respectively. The following parameters were used: constant pressure (1 bar), 10 Å van der Waals and electrostatic cutoffs, particle mesh Ewald for long-range electrostatics, LINCS bond restraints and periodic boundary conditions and a 2 fs time step. Bonding parameters for Pchl_a and NADPH were generated using the AmberTools ANTECHAMBER module³⁴ and charges were parameterized by RESP fitting to a HF³⁵ / 6-31G* structures optimized in Gaussian09 Revision D.01.³⁶ Initial parameters were generated for protopheophorbide, and Mg²⁺ parameters were added by fitting to Gaussian09 distance and angle scans in a B3LYP³⁷ model with the LANL2DZ³⁸ basis set applied to the Mg and 6-31G* to the other atoms (Figures S12 and S13). The NADPH and Pchl_a parameters used are listed in Gromacs format in the supporting information. Unrestrained MD simulations of all three forms of the enzyme were performed to confirm the stability of the final ternary complex model and compare the relative structural flexibilities of the NADPH-bound and apo structures. These simulations were run for 650 ns to ensure that convergence of the RMSD plots (Extended data Figure 3).

4. Simulated Annealing. The candidate ternary structures were relaxed by simulated annealing, with 20×1 ns heating and cooling cycles applied as follows (for a total of 20 ns): 500 ps at 300 K, 100 ps heating to 340 K, 300 ps at 340 K and 100 ps cooling to 300 K. No constraints were applied to the protein, but the following distance restraints were applied to maintain the Pchl_{ide} in a bound conformation relative to the protein and NADPH, with a force constant of $10 \text{ kJ mol}^{-1} \text{ \AA}^{-2}$: (i) between Pchl_{ide} C17 and NADPH C1 (the proposed hydride donor, $r_0 = 2 \text{ \AA}$), (ii) between Pchl_{ide} C18 and Y193 hydroxyl proton (the proposed proton donor, $r_0 = 2 \text{ \AA}$); (iii) between Pchl_{ide} C17 and L143 C α (at the base of the active site pocket, $r_0 = 9 \text{ \AA}$). The structure after 20 ns of simulation was chosen for further modelling (Extended data Figure 5).

5. Umbrella sampling. The potential of mean force (PMF) for Pchl_{ide} binding was calculated as a function of the distance between the Pchl_{ide} Mg^{2+} and the base of the active site pocket, defined as the C α of residues N90, L143 and L222. Sampling was carried out in bins no more than $0.7 \text{ \AA}$ apart (Extended data Figure 5) with a force constant of $25 \text{ kJ mol}^{-1} \text{ \AA}^{-2}$, for a total of 50 ns per bin. A representative structure was chosen from the structures within the range $14.5 \text{ \AA} < R < 14.7 \text{ \AA}$. For these structures the RMSD was calculated for heavy atoms of the Pchl_{ide}, NADPH nicotinamide group and sidechains of first-shell residues around the Pchl_{ide} (residues 94, 144, 145, 146, 152, 153, 156, 157, 158, 193, 194, 197, 223, 224, 225, 226, 227, 228, 230, 232, 233, 236, 240, 244, 246, 247), and the structure with the smallest RMSD relative to the average structure was selected.

Additional Methods References

1. Wei, Z., Yan, Y., Carrell, R. W. & Zhou, A. Crystal structure of protein Z-dependent inhibitor complex shows how protein Z functions as a cofactor in the membrane inhibition of factor X. *Blood* **114**, 3662–3667 (2009).
2. Heyes, D. J., Ruban, A. V., & Hunter, C. N. Protochlorophyllide oxidoreductase: spectroscopic characterization of the dark reactions. *Biochemistry* **42**, 523-528 (2003).
3. Snellenburg, J. J., Laptinok, S. P., Seger, R., Mullen, K. M. & Stokkum, I. H. M. Glotaran: A Java-Based Graphical User Interface for the R Package TIMP. *J. Stat. Softw.*, **49**, 1–22 (2012).

4. Krivov, G.G., Shapovalov, M.V. & Dunbrack Jr., R.L. Improved prediction of protein side-chain conformations with SCWRL4. *Proteins: Struct., Funct., Bioinf.* **77**, 778-795 (2009).
5. Trott, O. & Olson, A.J, AutoDock Vina: improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading, *J. Comp. Chem.* **31**, 455-461 (2009)
6. Hess, B., Kutzner, C., Spoel, D. van der & Lindahl, E. Gromacs 4: algorithms for highly efficient, load-balanced, and scalable molecular simulation. *J. Chem. Theory Comp.* **4**, 435–447 (2008).
7. Maier, J.A. *et al* ff14SB: Improving the accuracy of protein side chain and backbone parameters from ff99SB. *J. Chem. Theory Comp.* **11**, 3696-3713 (2015).
8. Wang, J., Wang, W., Kollman P. A. & Case, D. A. Automatic atom type and bond type perception in molecular mechanical calculations. *J. Mol. Graphics Model.*, **25**, 247260 (2006).
9. Roothaan, C.C.J. New Developments in Molecular Orbital Theory, *Rev. Mod. Phys.*, **23**, 69-89 (1951).
10. Frisch, M. *et al* Gaussian 09 D. 01, Gaussian. Inc., Wallingford CT (2016).
11. Becke, A. D., Density-functional thermochemistry. III. The role of exact exchange. *J. Chem. Phys.* **98**, 5648-5652 (1993).
12. Wadt, W.R., Hay, P.J. Ab initio effective core potentials for molecular calculations - potentials for main group elements Na to Bi. *J. Chem. Phys.*, **82**, 284-298 (1985).
13. Ashkenazy H. *et al* ConSurf 2016: an improved methodology to estimate and visualize evolutionary conservation in macromolecules. *Nucl. Acids Res.* **44**, W344–W350 (2016).

2. Supplementary Figures:

Unconserved 0 1 2 3 4 5 6 7 8 9 10 Conserved

	GxxxGxG motif									
	10	20	30	40	50					
<i>Thermosynechococcus</i>	MSDQPRPTVI	ITGASSSGVGL	YATKALANR	GWHVIMACRN	LENAEQAAKN					
<i>Limnospira_robusta</i>	MEQHQQKSTVV	ITGASSSGVGL	QAANALAKK	GWHVVMACRN	VEKTEKAAQS					
<i>Synechocystis</i>	PMK----PTVI	ITGASSSGVGL	YGRKALIDK	GWHVIMACRN	LDKTKQVADE					
<i>Anabaena_variabilis</i>	MAQDRKSTVI	VTGASSSGVGL	YAAKALAKR	GWHVVMACRN	LENAEQAAQE					
<i>Crinallium_epips</i>	MAQDLKSTVV	ITGASSSGVGL	YGALALAKR	GWHVVMGCRD	LDKAQKAAET					
<i>Calothrix_parasitica</i>	MSQNSKSTVV	ITGASSSGVGL	YAAKAAAKK	GWHVVMACRN	LEKTRVANE					
<i>Lyngbya_majuscula</i>	MENDHKSTVI	ITGASSSGVGL	EAAARALATTW	GWHVVMACRN	LDKAEQAAQE					
<i>Synechococcus_salsus</i>	MAEQYTPTVV	ITGASSSGVGL	QAARALAEK	GWHVVMACRD	LSKTETVAKS					
<i>Stanieria_cyanobacteria</i>	MSV--QKTVI	VTGASSSGVGL	YAAKSLANR	GWHVVMACRN	LENAEQAAKE					
<i>Microcystis_aeruginosa</i>	MVQDQKPTVI	ITGTTSGVGL	YAAKSLAQR	GWHVVMACRD	IPKMEQAAKE					
<i>Oscillatoriales</i>	MTQDQKPTVV	ITGTTSGVGL	YAAKAFVDR	GWHVVMACRD	IPKTEQAAVS					
<i>Fischerella_sp.</i>	MEHNKSTVI	ITGASSSGVGL	YSAKALAKR	GWHVVMACRD	LAKAEKAAQT					
<i>Cyanosphaera</i>	MEQQRKSTAI	ITGASSSGVGL	QAAKALADL	GWHVVMACRD	IEKTKRVAQE					
<i>Nostoc_punctiforme</i>	MQDQKSTVV	ITGASSSGVGL	YAAKALAEK	GWHVVMACRD	VARAKALAAQS					
<i>Nicotiana_glauca</i>	KKTLRKGNVI	ITGASSSGLGL	ATAKAIGETG	EWHVIMACRD	FLKAEKAAKS					
<i>Zea_mays</i>	KKTLRKGTAV	ITGASSSGLGL	ATAKALAEAT	KWHVIMACRD	FLKASRAAKA					
<i>Marchantia_paleacea</i>	KKKTATKSTCI	ITGASSSGLGL	ATAKALADTG	EWHVIMACRD	FLKAEARAAS					
<i>Pinus_mugo</i>	KKTDKRGVNI	ITGASSSGLGL	ATAKALGESG	KWHIIMACRD	FLKAERMARS					
<i>Physcomitrella</i>	KKTDQKSTVI	ITGASSSGLGL	ATAKVLADSG	EWHVIMACRD	FLKAEARAAS					
<i>Chlamydomonas_rubellata</i>	FATQKQKTAI	ITGASSSGLGL	NAAKALAAAT	EWHVIMACRD	FLKAEQAARK					
<i>Daucus_carota</i>	KKTLRKGSVI	ITGASSSGLGL	ATAKALAEATG	KWHVIMACRD	FLKAEARAAS					
<i>Cyanidioschyzon</i>	GFKKSQIAV	ITGASSSGVGL	YAARALVNKG	NWHIVMACRD	IDRAERAADS					
<i>Prochlorococcus</i>	MSKDIKGLAL	ITGTTSSGVGL	NTLKLPLLR	GWEIVAVNRS	NKRAAKIAEE					
Consistency	6543375779	9**89**8*	4688887551	5*799999*7	6397767966					

	60.....70.....80.....90.....100	CNA motif
<i>Thermosynechococcus</i>	LQIPP-E-AY TILHLDLSSL ASVRGFVESF RALNR--PLR	ALVCNAAYVY
<i>Limnographis_rob</i>	VGIPA-D-SY TIMPLDLASL ESVRQFVKTF RESGK--SLD	ALVCNAAYVL
<i>Synechocystis</i>	PLGFPG-D-SY TIIKLDLGLY DSVRRFVAQF RELGR--PLK	ALVCNAAYVF
<i>Anabaena_variab</i>	VGIPK-D-SY TIIHLDLGLS DSVRRFVDFR RATGK--SLD	ALVCNAAYYM
<i>Crinallium_epips</i>	VGIPQ-G-SY TLIHLDLGLS DSVRRFVDFR RARGL--SLD	ALVCNAAYYM
<i>Calothrix_paras</i>	VGMSP-D-SY TIMHLDLSSL KSVRFVNTF RESGK--SLD	ALVCNAAYVL
<i>Lyngbya_majuscu</i>	VGIPK-D-SY TAILYDLASF ASVRQFVNAP RATGR--TLD	ALVCNAAYYL
<i>Synechococcus_s</i>	VGMKF-E-NY TILPLDLADL SKVRLFVEKF RATGK--PLD	ALVCNAAYVL
<i>Stanieria_cyano</i>	VRIP-E-GNY SIIKLDLSSL ASVRQFVDFR RATGR--YLD	ALVCNAAYVL
<i>Microcystis_aer</i>	LNIPD-D-NY CIEFIDLGLS NSVRRFVKNF RALGR--SLT	ALVCNAAYYL
<i>Oscillatoriales</i>	LGIPK-D-SY TILHLDLSSL QSVREFVKDF RATGR--SLN	ALVCNAAYYM
<i>Fischerella_sp</i>	VGIPQ-D-SY TIMHLDLSSL ESVRQFVKDF RASGK--SIE	ALVCNAAYYM
<i>Cyanotheca_sp</i>	VGMPA-D-SY NIIYIDLSSL QSVREFVKYF RALSR--PLD	ALVCNAAYYM
<i>Nostoc_punctifo</i>	VGIPH-Q-SY TIMHLDLGLS DSVRRFVKNF RASGH--SLD	ALVCNAAYYM
<i>Nicotiana_tabac</i>	VGIPK-E-NY TVMHLDLSSL ESVRQFVDTF RRSGR--PLD	ALVCNAAYVL
<i>Zea_mays</i>	AGMDK-D-SF TVVHLDLSSL DSVRFVVRNV RQLKM--PID	VVVCNAAYVQ
<i>Merchantia_pale</i>	VGIPK-D-SY TVIHCDLASF DSVRAFVDNF RRTER--QLD	VLVCNAAYVF
<i>Pinus_mugo</i>	VGIPK-E-NY SVMHLDLSSL ESVRQFADNF RRSGR--PLD	VLVCNAAYYL
<i>Physcomitrella</i>	VGMPK-E-NY TVMHCDLSSL NSVRFVDFR RRSGR--PLD	VLVCNAAYVL
<i>Chlamydomonas_r</i>	VGMPA-G-SY SILHLDLSSL ESVRQFVNKF KASGR--RLD	ALVCNAAYVL
<i>Daucus_carota</i>	AGMPK-E-NY TIMHLDLSSL DSVRFVETF RRSER--PLD	VLVCNAAYVF
<i>Cyanidorschyzon</i>	VNLPK-D-AY TVLHCDLADF ASVLKVFVREL SSVAR--YLD	ALVCNAAYWH
<i>Prochlorococcus</i>	SLTKEV-NY HFIEIDLSSL DSVRKGDQI LERFN--PIN	SLICNAAYVK
Consistency	777759679 787678788 599698548 855660597 799888995	

	110	120	130	140	150
<i>Thermosynechococcus</i>	FLLEKPIYSV	DGYEITVATN	HLGHFLLINL	LLEDLKNSP	E
<i>Limnopharris_rob</i>	FLLEKPLRSA	DGYELSVATN	HLGHFLLCNL	MLEDLKHSF	T
<i>Synechocystis</i>	FLLEKPLWSA	DDYELSVATN	HLGHFLLCNL	LLEDLKACP	D
<i>Anabaena_variabilis</i>	FLIKEPLRSP	EGYEITMTTN	HLGHFLLCKL	MLEDLQKSS	A
<i>Crinatium_episp</i>	FLIKEPLRSP	EGYEITVTTN	HLGHFLLCNL	MLEDLKKSS	H
<i>Calothrix_parasitica</i>	FLAKEPQRSE	DGYELSVATN	HLGHFLLCNL	MLEDLQKSS	A
<i>Lyngbya_majuscula</i>	FLSKEPLRNP	EGYEISVATN	HLGHFLLCNL	MLEDLKNSF	S
<i>Synechococcus</i>	FLLEKPIRSV	DGYELSVATN	HLGHFLLCNL	MLEDLKKST	Y
<i>Stanieria_cyanob</i>	FLLEKPMRSE	DGYELSVATN	HLGHYLLCRL	MDDLMRSF	S
<i>Microcystis_aer</i>	FLLEKPLRSP	DGYELSMATN	HLGHFLLSNL	LLEDLKNSP	S
<i>Oscillatoriales</i>	FLLEKPLRSP	EGYEITVATN	HLGHFLLANL	MLEDLKNSP	A
<i>Fischerella_sp</i>	FLLEKPLRSP	EGYEITVATN	HLGHFLLCNL	MLEDLKNSF	A

Cyanotheca_sp_	FLIKEFLWSP	DGYELTMATN	HLGHFLICNL	MLDDIKQSA	-----V
Nostoc_punctifo	LIKEFLRSP	EGYELTVTTN	HLGHFLICNL	MLEDLKKSS	-----S
Nicotiana_tabac	TAKETFTA	DGFELSVGTN	HLGHFLLSRL	LDDDLKQSD	-----Y
Zea_mays	TAKEFSYTA	DGFEMSVGVN	HLGHFLIARE	LLSDLQSSD	-----Y
Marchantia_pale	TDKEFKFSA	EGFELSVGTN	HLGHFLIARL	LMEDLQKAK	-----D
Pinus_mugo	TAKELTYTA	EGFELSVGTN	HLGHFLLSRL	LLEDLKTSD	-----F
Physcomitrella	TAKEFRYTA	DGFELSVGTN	HLGHFLLANL	LMEDIQHKE	-----N
Chlamydomonas_r	TAKEFRFTA	DGFELSVGTN	HLGHFLITNL	LDDDLKKNP	-----N
Daucus_carota	TAKEFTYTA	DGFELSVGTN	HLGHFLLSRL	LDDDLNKS	-----Y
Cyanidioschyzon	RDKKFRFTV	DGIEETMQVC	RLSHLLLCRE	LIPKLIKIS	-----
Prochlorococcus	RLKKFRERSA	QGFENSMAYN	ELGHFLMINL	LMENILSSER	EIVLNGKSTV
Consistency	*6598*	*5475	797*888689	*99*9*9578	8978974846 0000000003

R1 (loop 1)

Thermosynechoco	SDKRLVILGT	VTANRKELGG	KIFIPAPFDL	GNLEGFEEKF	K--KFIAMIN
Limnographis_rob	SQPRRLIILGT	VTANPKELGG	KIFIPAPFDL	GNLQGLEAF	K--APITMID
Synechocystis_PAD	ADKRLIILGT	VTANSKELGG	KIFIPAPFDL	GNLEGFEEKF	K--KFIAMIN
Anabaena_variab	ADKRLVILGT	VTANPDELGG	KIFPRP--DL	GNLEGFEEKF	K--PFISMID
Crinalium_epips	EDKRLVILGT	VTANPDELGG	KIFPRP--DL	GNLEGFEEKF	Q--EPISMID
Calothrix_paras	DAARLVILGT	VTANPKELGG	KIFIPAPFDL	GNLQGLEAF	K--APISMIN
Lyngbya_majuscu	SQPRRLVILGT	VTANPKELGG	KIFIPAPFDL	GNLQGLEAF	K--PFISMID
Synechococcus_s	EDKRLVILGT	VTANPKELGG	KIFIPAPFDL	GNLQGLEAF	K--APISMIN
Stanieria_cyano	SDKRLVILGT	VTANPKELGG	KIFIPAPFDL	GNLEGFEEKF	K--EPITMIN
Microcystis_aer	EDKRLVILGT	VTANPDELGG	KIFPRP--DL	GNLEGFEEKF	K--EPITMAD
Oscillatoriales	EDKRLVILGT	VTANPDELGG	KIFPRP--DL	GNLQGLEAF	K--APISMID
Fischerella_sp	ADKRLVILGT	VTANPDELGG	KIFPRP--DL	GNLQGLEAF	K--EPITMID
Cyanotheca_sp_	KPAKLVILGT	VTANPDELGG	KIFPRP--DL	GNLQGLEAF	K--APYSMID
Nostoc_punctifo	E--PRVILGT	VTANPDELGG	KIFPRP--DL	GNLQGLEAF	K--EPISMID
Nicotiana_tabac	QKRLIIVGS	ITGNTNTLAG	NVFPKA--NL	GDLRGLAGL	NSLNCSPMID
Zea_mays	PSKRLIIVGS	ITGNTNTLAG	NVFPKA--NL	GDLRGLAGL	NGVSSVMID
Marchantia_pale	SLKRLIIVGS	ITGNSNTVAG	NVFPKA--NL	GDLRGLAGL	NGVSSVMID
Pinus_mugo	NSKRLIIVGS	ITGNTNTLAG	NVFPKA--NL	GDLRGLAGL	NGVSSVMID
Physcomitrella	NSKRLIIVGS	ITGNTNTVAG	NVFPKA--NL	GDLRGLAGL	DGVSSVMID
Chlamydomonas_r	KQPRCIIVGS	ITGNTNTLAG	NVFPKA--NL	GDLSGLAAGL	PA--ANPMMD
Daucus_carota	PSKRLIIVGS	ITGNTNTLAG	NVFPKA--NL	GDLRGLAGL	NGVSSVMID
Cyanidioschyzon	RGRIVFLTT	QTHSPNSLPG	KIFPQA--RL	GDLSGLAAGL	G--PQTGMVD
Prochlorococcus	PKPRITVLGT	VTANYSELGG	RIFIPAPFDL	GDLSGLAAGL	L--SPISMAN
Consistency	4459888888	8*4955697*	79*5561*7*	*795*765*7	5084555*87

YxxxK catalytic motif

longer α -helix (R2, helix 1) F233

Thermosynechoco	GKPFKSGKAY	KDSKLCNMLT	ARELHRRFHE	STGIVFNSLY	PGCVADTPLF
Limnographis_rob	GKPFKSGKAY	KDSKLCNVLT	MRELHRRYHE	STGIVFSSLY	PGCVATTALF
Synechocystis_PN	GKPFKSGKAY	KDSKLCNMLT	TRELHRRFHE	ETGIVFNSLY	PGCVADTPLF
Anabaena_variab	GKPFKSGKAY	KDSKVCNVLT	MRELHRRYHE	STGITFTSLY	PGCVAETPLF
Crinalium_epips	GKPFKSGKAY	KDSKVCNVLT	MRELHRRYHE	STGITFTSLY	PGCVAETPLF
Calothrix_paras	GKPFKSGKAY	KDSKLCNVLT	MRELHRRYHE	STGIVFSSLY	PGCVAETGLF
Lyngbya_majuscu	GKPFKSGKAY	KDSKLCNMLT	MRELHRRYHE	STGIVFSSLY	PGCVAETALF
Synechococcus_s	GKPFKSGKAY	KDSKLCNVLT	MRELHRRYHE	STGITFTSLY	PGCVADTPLF
Stanieria_cyano	GKPFKSGKAY	KDSKLCNVLT	MRELHRRYHE	STGITFTSLY	PGCVADTPLF
Microcystis_aer	GKPFKSGKAY	KDSKVCNVLT	MRELHRRYHE	STGITFTSLY	PGCVADTPLF
Oscillatoriales	GKPFKSGKAY	KDSKVCNVLT	MRELHRRYHE	STGITFTSLY	PGCVADTPLF
Fischerella_sp	GKPFKSGKAY	KDSKVCNVLT	MRELHRRYHE	STGITFTSLY	PGCVAETPLF
Cyanotheca_sp_	GKPFKSGKAY	KDSKVCNILT	MRELHRRYHE	STGITFTSLY	PGCVATTALF
Nostoc_punctifo	GKPFKSGKAY	KDSKVCNVLT	MRELHRRYHE	STGIVFNSLY	PGCVAETPLF
Nicotiana_tabac	GGEFDGAKAY	KDSKVCNMLT	MQEFHRRFHE	ETGIVFNSLY	PGCIAETGLF
Zea_mays	GGEFDGAKAY	KDSKVCNMLT	MQEFHRRYHE	ETGIVFNSLY	PGCIAETGLF
Marchantia_pale	GGEFDGAKAY	KDSKVCNMLT	MQEFHRRYHE	ETGIVFNSLY	PGCIAETGLF
Pinus_mugo	GGEFDGAKAY	KDSKVCNMLT	MQEFHRRYHE	ETGIVFNSLY	PGCIAETGLF
Physcomitrella	GGEFDGAKAY	KDSKVCNMLT	MQEFHRRFHE	ETGIVFNSLY	PGCIAETGLF
Chlamydomonas_r	GGEFDGAKAY	KDSKVCNMLT	MQEFHRRYHE	ETGIVFNSLY	PGCIAETGLF
Daucus_carota	GGEFDGAKAY	KDSKVCNMLT	MQEFHRRYHE	ETGIVFNSLY	PGCIAETGLF
Cyanidioschyzon	GPFEPKTKAY	KDARAANVLT	MKALSDFYD	RDGVTSAVIF	PGCVADSNLF
Prochlorococcus	GKPFKSGKAY	KDSKLCNMLT	VQELSKFHFH	AEKIVNSLY	PGCVADTKLF
Consistency	965*655**	**9*78978*	879787*895	6899685999	**9*694**

longer α -helix (R2, helix 1)

Thermosynechoco	HHFPLQKL	F--PLFQKKIT	GGYVSQELAG	ERVAMVVADP	EFRQSGVHWS
Limnographis_rob	NHYPFLQKI	F--PLFQKKIT	GGYVSQELAG	ERVAMVVADP	EYNKSGVYWS
Synechocystis_PN	NHYSLEFRTI	F--PLFQKKIT	GGYVSQELAG	ERVAMVVADD	KFKDSGVHWS
Anabaena_variab	NHYPFLQKI	F--PLFQKKIT	GGYVSQELAG	ERVADVIAAP	EYKQSGAYWS
Crinalium_epips	NHYPFLQKI	F--PLFQKKIT	GGYVSQELAG	ERVAAVVADP	EYKQSGAYWS
Calothrix_paras	NHYSLEFQKI	F--PLFQKKIT	GGYVSQELAG	ERVADVVADP	EYNKSGSYWS
Lyngbya_majuscu	NHYSLEFQKL	F--PLFQKKIT	GGYVSQELAG	DRLATVVADP	NYNKSGVYWS
Synechococcus_s	NHYPFLQKL	F--PLFQKKIT	GGYVSQELAG	DEVAQVADP	ELKESGIYWS
Stanieria_cyano	NHYPFLQKI	F--PLFQKKIT	GGYVSQELAG	DEVAQVADP	NYKESGAYFS

Microcystis_aer	RNHYPFFQQF	R-FWFQKNIT	GGYVSQELAG	ERVAIVVADP	QYRQSGAYWS
Oscillatoriales	RNHYPFFQKL	R-FWFQKNIT	GGYVSQELAG	ERVAIVVADP	EYRQSGAYWS
Fischerella_sp	RNHYPFFQKL	R-PLFQNYIT	GGYVSQELSG	ERVAIVVADP	EYAQSGVYWS
Cyanotheca_sp	RNHYPKFKKY	R-PLFQNYIT	GGYVSQELSG	QYVAQVVAEP	DFAQSGVYWS
Nostoc_punctifo	RNHYPFFQKI	R-PLFQNYIT	GGYVSQELAG	ERVAIVVADP	EYNQSGVYWS
Nicotiana_tabac	RNHIPFLFRAL	R-PPFQNYIT	GGYVSQELSG	KRLAQVVSDP	SLTKSGVYWS
Zea_mays	REHIPLFRLL	R-PPFQNYIT	GGYVSQELSG	KRLAQVVSDP	SLTKSGVYWS
Marchantia_pale	RNHVTLFRLL	R-PPFQNYIT	GGYVSQELSG	KRLAQVVSDP	SLTKSGVYWS
Pinus_mugo	REHIPLFRLL	R-PPFQNYIT	GGYVSQELSG	KRLAQVVSDP	SLTKSGVYWS
Physcomitrella	REHYSLFRLL	R-PPFQNYIT	GGYVSQELSG	KRLAQVVSDP	SLTKSGVYWS
Chlamydomonas_r	REHVPLFRLL	R-PPFQNYIT	GGYVSQELSG	KRLAQVVSDP	SLTKSGVYWS
Daucus_carota	REHIPLFRLL	R-PPFQNYIT	GGYVSQELSG	KRLAQVVSDP	SLTKSGVYWS
Cyanidioschyzon	REKRWFRHV	R-PPFQNYIT	GGYVSQELSG	KRLAQVVSDP	SLTKSGVYWS
Prochlorococcus	DTFWLFRLL	R-PPFQNYIT	GGYVSQELSG	KRLAQVVSDP	SLTKSGVYWS
Consistency	*78568*757	*4*49*59*	599*97858*	6*8*5*8677	6656997889

	R3	310	320	330	340	350
Thermosynechoco	GNRQKEGRK	AFVQELSAEA	SDEQKARRLW	ELSEKLVGLA	-----	-----
Limnographis_rob	GNRQKEGRQ	SFVQEVSNZA	LDSSKAERLW	ELSAKLVGLA	-----	-----
Synechocystis_P	GNRQKEGRK	AFVQELSAEA	SDEQKARRLW	ELSEKLVGLA	-----	-----
Anabaena_variab	GNRQKKGDK	SFVQKVSQA	RDEKAERLW	DLSEKLVGLV	-----	-----
Crinalium_epips	GNRQKKEGK	SFVQKVSQA	RDEKAERLW	DLSEKLVGLV	-----	-----
Calothrix_paras	GNRQKEGRK	SFVQEVSNZA	LDSSKAERLW	ELSAKLVGLA	-----	-----
Lyngbya_majuscu	GNRQKEGRK	SFVQEVSNZA	LDSSKAERLW	ELSAKLVGLA	-----	-----
Synechococcus_s	GNRQKEGRK	SFVQEVSNZA	LDSSKAERLW	ELSAKLVGLA	-----	-----
Stanieria_cyano	GNRQKEGRK	SFVQEVSNZA	LDSSKAERLW	ELSAKLVGLA	-----	-----
Microcystis_aer	GNRQKKEGK	SFVQKVSQA	RDEKAERLW	DLSEKLVGLV	-----	-----
Oscillatoriales	GNRQKKEGK	SFVQKVSQA	RDEKAERLW	DLSEKLVGLV	-----	-----
Fischerella_sp	GNRQKKEGK	SFVQKVSQA	RDEKAERLW	DLSEKLVGLV	-----	-----
Cyanotheca_sp	GNRQKKGDK	SFVQKVSQA	RDEKAERLW	DLSEKLVGLV	-----	-----
Nostoc_punctifo	GNRQKKEGK	SFVQKVSQA	RDEKAERLW	DLSEKLVGLV	-----	-----
Nicotiana_tabac	NNNT-----SS	SFENQLSKEA	SDEKAERLW	ELSEKLVGLA	-----	-----
Zea_mays	NNNN-----SA	SFENQLSKEA	SDEKAERLW	ELSEKLVGLA	-----	-----
Marchantia_pale	NNND-----SG	SFENQLSKEA	SDEKAERLW	ELSEKLVGLA	-----	-----
Pinus_mugo	NNNN-----SG	SFENQLSKEA	SDEKAERLW	ELSEKLVGLA	-----	-----
Physcomitrella	NNNQ-----SG	SFENQLSKEA	SDEKAERLW	ELSEKLVGLA	-----	-----
Chlamydomonas_r	NNST-----TG	SFENQLSKEA	SDEKAERLW	ELSEKLVGLA	-----	-----
Daucus_carota	NNKD-----SA	SFENQLSKEA	SDEKAERLW	ELSEKLVGLA	-----	-----
Cyanidioschyzon	RGKYTEGRE	KTQKQVIEPT	YEIDKADQLY	ELSLDLIDQA	-----	-----
Prochlorococcus	GNRQKKEGK	SFVQKVSQA	RDEKAERLW	DLSEKLVGLV	-----	-----
Consistency	*676432255	8956689478	4955985789	78968*8885	0000000000	0000000000

Thermosynechoco	----
Limnographis_rob	----
Synechocystis_P	----
Anabaena_variab	----
Crinalium_epips	----
Calothrix_paras	----
Lyngbya_majuscu	----
Synechococcus_s	----
Stanieria_cyano	----
Microcystis_aer	----
Oscillatoriales	----
Fischerella_sp	----
Cyanotheca_sp	----
Nostoc_punctifo	----
Nicotiana_tabac	----
Zea_mays	----
Marchantia_pale	----
Pinus_mugo	----
Physcomitrella	----
Chlamydomonas_r	----
Daucus_carota	----
Cyanidioschyzon	----
Prochlorococcus	----
Consistency	0000

Figure

S1 Multiple sequence alignment of POR proteins from different organisms. Alignment of POR protein sequence from cyanobacteria and plants was carried out using the online PRALINE multiple server. The leader sequences from the plant PORs have been removed before alignment.

Figure S2. Elution profiles of *T. elongatus* POR after purification on gel filtration column. a) Purified *T. elongatus* POR alone. b) *T. elongatus* POR and NADPH c) *T. elongatus* POR ternary complex (*T. elongatus* POR with NADPH and Pchl_a).

Figure S3. Analysis of spectral changes associated with Pchlride binding. (a) Absorbance spectra of Pchlride (2.35 μM) in the presence and absence of either POR (25 μM) + NADPH (250 μM). (b) The ratio of absorbance at 642 nm to 630 nm of Pchlride (2.35 μM) measured at various POR concentrations in the presence of 250 μM NADPH. All measurements were recorded at 25°C.

Figure S4. Analysis of spectral changes associated with protopheophorbide binding. (a)

Fluorescence emission spectra of protopheophorbide (0.5 μM) in the presence and absence of either POR (22.5 μM) + NADPH (250 μM). (b) The ratio of fluorescence at 676 nm to 645 nm of protopheophorbide (0.5 μM) measured at various POR concentrations in the presence of 250 μM NADPH. (c) Inhibition of POR activity at increasing concentrations of protopheophorbide.

Figure S5. Analysis of spectral changes associated with C17 methylester Pchlide binding.

(a) Fluorescence emission spectra of C17 methylester Pchlide (0.5 μM) in the presence and absence of either POR (60 μM) + NADPH (250 μM). No spectral changes could be observed $<250 \mu\text{M}$ POR and no measurable inhibition of POR activity was detected at increasing C17 methylester Pchlide concentrations.

Figure S6. Analysis of spectral changes associated with C13OH Pchlride binding. (a)

Fluorescence emission spectra of C13OH Pchlride (0.5 μM) in the presence and absence of either POR (30 μM) + NADPH (250 μM). (b) The ratio of fluorescence at 600 nm to 592 nm of C13OH Pchlride (0.5 μM) measured at various POR concentrations in the presence of 250 μM NADPH. (c) Inhibition of POR activity at increasing concentrations of C13OH Pchlride.

Figure S7. Analysis of spectral changes associated with C13C15 methylester Pchlride binding. (a) Fluorescence emission spectra of C13C15 methylester Pchlride (0.5 μM) in the presence and absence of either POR (30 μM) + NADPH (250 μM). (b) The ratio of fluorescence at 600 nm to 592 nm of C13C15 methylester Pchlride (0.5 μM) measured at various POR concentrations in the presence of 250 μM NADPH. (c) Inhibition of POR activity at increasing concentrations of C13C15 methylester Pchlride.

Figure S8. Steady-state activity of wild type and selected variants of *T. elongatus* POR.

The steady-state activity was measured over a range of Pchlde concentrations for (a) wild type, (b) K156A variant, (c) Y223A variant and (d) Y223F variant. All data were fitted to the Michaelis-Menten equation to obtain K_m and k_{cat} values as described in the Methods. The values shown in the figure are mean $\pm$ standard deviation, $n=3$.

Figure S9. Visible transient absorption spectra at selected time delays after photoexcitation at 430 nm. Time-resolved visible spectroscopy data recorded between 0.6 ns and 2.7 μ s for Pchl_{id} (a), POR with NADPH and Pchl_{id} (b), protopheophorbide (c), POR with NADPH and protopheophorbide (d), C13C15 methylester pchl_{id} (e), POR with NADPH and C13C15 methylester pchl_{id} (f), C13OH Pchl_{id} (g), POR with NADPH and C13OH Pchl_{id} (h).

Figure S10. Kinetic transients of hydride transfer for wild type and selected variants of *T. elongatus* POR. The rate of increase in absorbance at 696 nm, corresponding to hydride transfer, measured for (a) wild type, (b) K156A variant, (c) Y223A variant and (d) Y223F variant. All data were fitted to a single exponential equation to obtain observed rate constants as described in the Methods. All the measurements were repeated three to five times, the values shown in the figure are mean $\pm$ standard deviation, $n=5$.

Figure S11. Kinetic transients of proton transfer for wild type and selected variants of *T. elongatus* POR. The rate of decrease in absorbance at 696 nm, corresponding to proton transfer, measured for (a) wild type, (b) K156A variant, (c) Y223A variant and (d) Y223F variant. All data were fitted to a single exponential equation to obtain observed rate constants as described in the Methods. All the measurements were repeated three to five times, the values shown in the figure are mean $\pm$ standard deviation, $n=5$.

Figure

S12. DFT structures for parametrization of Pchl. (a) Protopheophorbide and (b) Pchl, optimized with the B3LYP functional and the LANL2DZ basis set for Mg and 6-31G* for all other atoms.

Figure S13. DFT scans for parameterization of Pchl. Mg^{2+} bonding parameters. (a) N-Mg distance, (b) C-N-Mg angle, (c) N-Mg-N angle and (d) C-C-N-Mg dihedral, as defined in (e). Force constants, k , are shown in each plot. Note that the MM parameters do not treat anharmonicity, only the quadratic portion of the plot in (a) was included in the fitting.

3. Supplementary Tables

Table S1. Primers used for *T. elongatus* POR variants.

Primer	Sequence 5' to 3'
K156A-F	TAAAGAATTAGGTGGCGCAATTCCGATTCCGGCA
K156A-R	TGCCGGAATCGGAATTGCGCCACCTAATTCTTTA
Y223A-F	GCATTGTGTTTAATAGCCTGGCTCCGGGTTGTGTTGCAGATA
Y223A-R	TATCTGCAACACAACCCGGAGCCAGGCTATTAAACACAATGC
Y223F-F	TTGTGTTTAATAGCCTGTTTCCGGGTTGTGTTGCAGATA
Y223F-R	TATCTGCAACACAACCCGGAAACAGGCTATTAAACACAA

4. MD Parameters for NADPH and PChlide

NADPH parameters from ANTECHAMBER and DFT modelling:

[atoms]

;	nr	type	resnr	residue	atom	cgnr	charge	mass				
	5050	P	1	NDP	P1	1	1.310519	30.97	;	qtot	1.3105	
	5051	OS	1	NDP	O5	1	-0.59251	16	;	qtot	0.718	
	5052	CT	1	NDP	C4	1	0.252361	12.01	;	qtot	0.9704	
	5053	CT	1	NDP	C1	1	0.819891	12.01	;	qtot	1.7903	
	5054	OS	1	NDP	O13	1	-0.787369	16	;	qtot	1.0029	
	5055	CT	1	NDP	C11	1	0.491614	12.01	;	qtot	1.4945	
	5056	CT	1	NDP	C7	1	-0.072198	12.01	;	qtot	1.4223	
	5057	OH	1	NDP	O10	1	-0.75739	16	;	qtot	0.6649	
	5058	HO	1	NDP	H10	1	0.486022	1.008	;	qtot	1.1509	
	5059	H1	1	NDP	H8	1	0.183749	1.008	;	qtot	1.3347	
	5060	CT	1	NDP	C15	1	-0.116034	12.01	;	qtot	1.2187	
	5061	OS	1	NDP	O15	1	-0.409514	16	;	qtot	0.8091	
	5062	P	1	NDP	P2	1	1.224101	30.97	;	qtot	2.0332	
	5063	O2	1	NDP	O1	1	-0.797153	16	;	qtot	1.2361	
	5064	O2	1	NDP	O4	1	-0.797153	16	;	qtot	0.4389	
	5065	OS	1	NDP	O9	1	-0.600853	16	;	qtot	-0.1619	
	5066	P	1	NDP	P3	1	1.383435	30.97	;	qtot	1.2215	
	5067	O2	1	NDP	O2	1	-0.806494	16	;	qtot	0.415	
	5068	O2	1	NDP	O7	1	-0.806494	16	;	qtot	-0.3915	
	5069	OS	1	NDP	O16	1	-0.562829	16	;	qtot	-0.9543	
	5070	CT	1	NDP	C16	1	0.144251	12.01	;	qtot	-0.81	
	5071	CT	1	NDP	C12	1	0.041224	12.01	;	qtot	-0.7688	
	5072	CT	1	NDP	C8	1	0.477906	12.01	;	qtot	-0.2909	
	5073	CT	1	NDP	C5	1	0.106426	12.01	;	qtot	-0.1845	
	5074	CT	1	NDP	C2	1	0.071548	12.01	;	qtot	-0.1129	
	5075	NT	1	NDP	N2	1	0.152528	14.01	;	qtot	0.0396	
	5076	CM	1	NDP	C6	1	-0.106105	12.01	;	qtot	-0.0665	
	5077	CD	1	NDP	C9	1	-0.252248	12.01	;	qtot	-0.3188	
	5078	CT	1	NDP	C13	1	0.190136	12.01	;	qtot	-0.1286	
	5079	CM	1	NDP	C17	1	-0.242361	12.01	;	qtot	-0.371	
	5080	CM	1	NDP	C19	1	-0.274995	12.01	;	qtot	-0.646	
	5081	HA	1	NDP	H20	1	0.157059	1.008	;	qtot	-0.4889	
	5082	HA	1	NDP	H19	1	0.090239	1.008	;	qtot	-0.3987	
	5083	HC	1	NDP	H14	1	-0.021133	1.008	;	qtot	-0.4198	
	5084	HC	1	NDP	H26	1	-0.021133	1.008	;	qtot	-0.441	
	5085	C	1	NDP	C20	1	0.866452	12.01	;	qtot	0.4255	
	5086	N	1	NDP	N6	1	-1.046682	14.01	;	qtot	-0.6212	
	5087	H	1	NDP	H23	1	0.436516	1.008	;	qtot	-0.1847	
	5088	H	1	NDP	H24	1	0.436516	1.008	;	qtot	0.2518	
	5089	O	1	NDP	O17	1	-0.740088	16	;	qtot	-0.4882	
	5090	HA	1	NDP	H6	1	0.191704	1.008	;	qtot	-0.2965	
	5091	OS	1	NDP	O14	1	-0.396099	16	;	qtot	-0.6926	
	5092	H2	1	NDP	H2	1	0.12238	1.008	;	qtot	-0.5703	
	5093	OH	1	NDP	O6	1	-0.680592	16	;	qtot	-1.2508	
	5094	HO	1	NDP	H7	1	0.410823	1.008	;	qtot	-0.84	
	5095	H1	1	NDP	H5	1	0.099805	1.008	;	qtot	-0.7402	
	5096	OH	1	NDP	O11	1	-0.713702	16	;	qtot	-1.4539	
	5097	HO	1	NDP	H11	1	0.406809	1.008	;	qtot	-1.0471	
	5098	H1	1	NDP	H9	1	-0.001476	1.008	;	qtot	-1.0486	
	5099	H1	1	NDP	H13	1	0.029745	1.008	;	qtot	-1.0188	
	5100	H1	1	NDP	H17	1	0.045688	1.008	;	qtot	-0.9732	
	5101	H1	1	NDP	H18	1	0.045688	1.008	;	qtot	-0.9275	
	5102	H1	1	NDP	H15	1	0.084308	1.008	;	qtot	-0.8432	
	5103	H1	1	NDP	H16	1	0.084308	1.008	;	qtot	-0.7589	
	5104	H1	1	NDP	H12	1	0.007635	1.008	;	qtot	-0.7512	
	5105	N*	1	NDP	N7	1	-0.429578	14.01	;	qtot	-1.1808	
	5106	CB	1	NDP	C10	1	0.522821	12.01	;	qtot	-0.658	
	5107	NC	1	NDP	N3	1	-0.739196	14.01	;	qtot	-1.3972	
	5108	CQ	1	NDP	C3	1	0.580157	12.01	;	qtot	-0.817	
	5109	NC	1	NDP	N1	1	-0.823995	14.01	;	qtot	-1.641	
	5110	CA	1	NDP	C18	1	0.636546	12.01	;	qtot	-1.0045	
	5111	CB	1	NDP	C14	1	0.03376	12.01	;	qtot	-0.9707	
	5112	NB	1	NDP	N5	1	-0.661122	14.01	;	qtot	-1.6318	
	5113	CK	1	NDP	C21	1	0.347285	12.01	;	qtot	-1.2845	
	5114	H5	1	NDP	H25	1	0.138852	1.008	;	qtot	-1.1457	
	5115	N2	1	NDP	N4	1	-0.791635	14.01	;	qtot	-1.9373	
	5116	H	1	NDP	H21	1	0.333133	1.008	;	qtot	-1.6042	
	5117	H	1	NDP	H22	1	0.333133	1.008	;	qtot	-1.2711	
	5118	H5	1	NDP	H3	1	0.028062	1.008	;	qtot	-1.243	
	5119	H2	1	NDP	H1	1	-0.043089	1.008	;	qtot	-1.2861	
	5120	H1	1	NDP	H4	1	0.046584	1.008	;	qtot	-1.2395	
	5121	O2	1	NDP	O8	1	-0.920166	16	;	qtot	-2.1597	
	5122	O2	1	NDP	O12	1	-0.920166	16	;	qtot	-3.0798	
	5123	O2	1	NDP	O3	1	-0.920166	16	;	qtot	-4	

[bonds]

;	ai	aj	funct	c0	c1	c2	c3
	5112	5113	1	0.1369	369112.48		
	5111	5112	1	0.1352	391371.36		
	5110	5111	1	0.1398	385848.48		
	5110	5115	1	0.1386	349698.72		

5109	5110	1	0.1352	391371.36
5108	5109	1	0.1369	369112.48
5107	5108	1	0.1369	369112.48
5106	5107	1	0.1352	391371.36
5106	5111	1	0.1398	385848.48
5105	5106	1	0.1352	391371.36
5105	5113	1	0.1369	369112.48
5085	5086	1	0.1379	357815.68
5085	5089	1	0.1218	533627.36
5079	5080	1	0.1398	385848.48
5078	5079	1	0.1516	268612.8
5077	5078	1	0.1502	280160.64
5077	5085	1	0.1468	310452.8
5076	5077	1	0.1456	322251.68
5075	5076	1	0.1386	349698.72
5075	5080	1	0.1386	349698.72
5074	5075	1	0.1465	272713.12
5074	5091	1	0.1432	258236.48
5073	5074	1	0.1538	251793.12
5073	5093	1	0.1423	265014.56
5072	5073	1	0.1538	251793.12
5072	5096	1	0.1423	265014.56
5071	5072	1	0.1538	251793.12
5071	5091	1	0.1432	258236.48
5070	5071	1	0.1538	251793.12
5069	5070	1	0.1432	258236.48
5066	5067	1	0.1487	401245.6
5066	5068	1	0.1487	401245.6
5066	5069	1	0.1615	276646.08
5065	5066	1	0.1615	276646.08
5062	5063	1	0.1487	401245.6
5062	5064	1	0.1487	401245.6
5062	5065	1	0.1615	276646.08
5061	5062	1	0.1615	276646.08
5060	5061	1	0.1432	258236.48
5056	5057	1	0.1423	265014.56
5055	5056	1	0.1538	251793.12
5055	5060	1	0.1538	251793.12
5054	5055	1	0.1432	258236.48
5053	5054	1	0.1432	258236.48
5053	5105	1	0.1456	280076.96
5052	5053	1	0.1538	251793.12
5052	5056	1	0.1538	251793.12
5051	5052	1	0.1432	258236.48
5050	5051	1	0.1615	276646.08
5050	5121	1	0.1487	401245.6
5050	5122	1	0.1487	401245.6
5050	5123	1	0.1487	401245.6
5115	5116	1	0.1012	338569.28
5115	5117	1	0.1012	338569.28
5113	5114	1	0.1082	294302.56
5108	5118	1	0.1082	294302.56
5096	5097	1	0.0973	310787.52
5093	5094	1	0.0973	310787.52
5086	5087	1	0.1013	337397.76
5086	5088	1	0.1013	337397.76
5080	5081	1	0.1086	289365.44
5079	5082	1	0.1086	289365.44
5078	5083	1	0.1097	276646.08
5078	5084	1	0.1097	276646.08
5076	5090	1	0.1086	289365.44
5074	5092	1	0.1096	277566.56
5073	5095	1	0.1097	276646.08
5072	5098	1	0.1097	276646.08
5071	5099	1	0.1097	276646.08
5070	5100	1	0.1097	276646.08
5070	5101	1	0.1097	276646.08
5060	5102	1	0.1097	276646.08
5060	5103	1	0.1097	276646.08
5057	5058	1	0.0973	310787.52
5056	5059	1	0.1097	276646.08
5055	5104	1	0.1097	276646.08
5053	5119	1	0.1096	277566.56
5052	5120	1	0.1097	276646.08

[pairs]		
ai	aj	funct
5112	5115	1
5110	5113	1
5109	5112	1
5108	5111	1
5108	5115	1
5107	5113	1
5107	5110	1
5107	5112	1
5106	5109	1
5106	5115	1

5105	5108	1
5105	5110	1
5093	5096	1
5091	5093	1
5091	5096	1
5080	5091	1
5079	5085	1
5078	5086	1
5078	5089	1
5077	5080	1
5076	5091	1
5076	5079	1
5076	5086	1
5076	5089	1
5075	5093	1
5075	5078	1
5075	5085	1
5074	5096	1
5074	5077	1
5074	5079	1
5073	5076	1
5073	5080	1
5072	5075	1
5071	5093	1
5071	5075	1
5070	5073	1
5070	5096	1
5070	5074	1
5069	5072	1
5069	5091	1
5068	5070	1
5067	5070	1
5066	5071	1
5065	5070	1
5064	5066	1
5063	5066	1
5062	5067	1
5062	5068	1
5062	5069	1
5061	5066	1
5060	5063	1
5060	5064	1
5060	5065	1
5057	5060	1
5056	5061	1
5056	5105	1
5055	5105	1
5055	5062	1
5054	5106	1
5054	5113	1
5054	5057	1
5054	5061	1
5053	5057	1
5053	5060	1
5053	5107	1
5053	5111	1
5053	5112	1
5052	5121	1
5052	5122	1
5052	5123	1
5052	5106	1
5052	5113	1
5052	5060	1
5051	5054	1
5051	5105	1
5051	5055	1
5051	5057	1
5050	5053	1
5050	5056	1
5119	5120	1
5113	5119	1
5111	5116	1
5111	5117	1
5111	5114	1
5110	5118	1
5109	5116	1
5109	5117	1
5106	5119	1
5106	5114	1
5106	5118	1
5105	5120	1
5103	5104	1
5102	5104	1
5099	5100	1
5099	5101	1
5098	5099	1

5097	5098	1					
5096	5099	1					
5095	5096	1					
5095	5098	1					
5094	5095	1					
5093	5098	1					
5092	5093	1					
5092	5095	1					
5091	5095	1					
5091	5100	1					
5091	5101	1					
5091	5098	1					
5088	5089	1					
5087	5089	1					
5085	5090	1					
5084	5085	1					
5083	5085	1					
5082	5083	1					
5082	5084	1					
5081	5082	1					
5080	5083	1					
5080	5084	1					
5080	5092	1					
5080	5090	1					
5078	5090	1					
5078	5081	1					
5077	5082	1					
5077	5087	1					
5077	5088	1					
5076	5092	1					
5076	5081	1					
5076	5083	1					
5076	5084	1					
5075	5095	1					
5075	5082	1					
5074	5098	1					
5074	5094	1					
5074	5090	1					
5074	5081	1					
5074	5099	1					
5073	5099	1					
5073	5097	1					
5072	5100	1					
5072	5101	1					
5072	5092	1					
5072	5094	1					
5071	5095	1					
5071	5097	1					
5071	5092	1					
5070	5098	1					
5069	5099	1					
5066	5100	1					
5066	5101	1					
5062	5102	1					
5062	5103	1					
5061	5104	1					
5059	5060	1					
5059	5104	1					
5059	5120	1					
5058	5059	1					
5057	5104	1					
5057	5120	1					
5056	5102	1					
5056	5103	1					
5056	5119	1					
5055	5119	1					
5055	5058	1					
5055	5120	1					
5054	5120	1					
5054	5059	1					
5054	5102	1					
5054	5103	1					
5053	5059	1					
5053	5104	1					
5053	5114	1					
5052	5104	1					
5052	5058	1					
5051	5119	1					
5051	5059	1					
5050	5120	1					
[angles]							
;							
ai	aj	ak	funct	c0	c1	c2	c3
5122	5050	5123	1	115.80005	383.50544		
5121	5050	5122	1	115.80005	383.50544		
5121	5050	5123	1	115.80005	383.50544		
5111	5110	5115	1	120.95005	571.45072		

5111	5112	5113	1	104.24004	596.80576
5110	5111	5112	1	119.72005	581.24128
5109	5110	5111	1	119.72005	581.24128
5109	5110	5115	1	118.86005	600.48768
5108	5109	5110	1	104.24004	596.80576
5107	5106	5111	1	119.72005	581.24128
5107	5108	5109	1	125.70005	583.83536
5106	5105	5113	1	104.24004	596.80576
5106	5107	5108	1	104.24004	596.80576
5106	5111	5110	1	120.02005	557.47616
5106	5111	5112	1	119.72005	581.24128
5105	5106	5107	1	128.74006	584.5048
5105	5106	5111	1	119.72005	581.24128
5105	5113	5112	1	125.70005	583.83536
5086	5085	5089	1	123.05005	621.07296
5078	5077	5085	1	117.76005	529.94544
5078	5079	5080	1	120.77005	531.61904
5077	5078	5079	1	112.88005	532.79056
5077	5085	5086	1	112.70005	577.97776
5077	5085	5089	1	123.93005	578.56352
5076	5075	5080	1	124.68005	554.12896
5076	5077	5078	1	126.52005	513.29312
5076	5077	5085	1	122.95005	526.93296
5075	5074	5091	1	108.51005	597.4752
5075	5076	5077	1	120.95005	571.45072
5075	5080	5079	1	120.95005	571.45072
5074	5073	5093	1	110.19005	564.58896
5074	5075	5076	1	118.51505	540.957728
5074	5075	5080	1	118.51505	540.957728
5073	5072	5096	1	110.19005	564.58896
5073	5074	5075	1	111.04005	552.45536
5073	5074	5091	1	107.97005	569.024
5072	5071	5091	1	107.97005	569.024
5072	5073	5074	1	111.51005	526.01248
5072	5073	5093	1	110.19005	564.58896
5071	5072	5073	1	111.51005	526.01248
5071	5072	5096	1	110.19005	564.58896
5071	5091	5074	1	112.48005	524.6736
5070	5071	5072	1	111.51005	526.01248
5070	5071	5091	1	107.97005	569.024
5069	5070	5071	1	107.97005	569.024
5068	5066	5069	1	115.46005	366.9368
5067	5066	5068	1	115.80005	383.50544
5067	5066	5069	1	115.46005	366.9368
5066	5069	5070	1	119.54005	650.36096
5066	5066	5067	1	115.46005	366.9368
5065	5066	5068	1	115.46005	366.9368
5065	5066	5069	1	101.84004	376.56
5064	5062	5065	1	115.46005	366.9368
5063	5062	5064	1	115.80005	383.50544
5063	5062	5065	1	115.46005	366.9368
5062	5065	5066	1	126.25005	823.4112
5061	5062	5063	1	115.46005	366.9368
5061	5062	5064	1	115.46005	366.9368
5061	5062	5065	1	101.84004	376.56
5060	5061	5062	1	119.54005	650.36096
5056	5055	5060	1	111.51005	526.01248
5055	5056	5057	1	110.19005	564.58896
5055	5060	5061	1	107.97005	569.024
5054	5053	5105	1	115.41005	581.1576
5054	5055	5056	1	107.97005	569.024
5054	5055	5060	1	107.97005	569.024
5053	5052	5056	1	111.51005	526.01248
5053	5054	5055	1	112.48005	524.6736
5053	5105	5106	1	109.51005	568.52192
5053	5105	5113	1	109.51005	568.52192
5052	5053	5054	1	107.97005	569.024
5052	5053	5105	1	108.80005	557.89456
5052	5056	5055	1	111.51005	526.01248
5052	5056	5057	1	110.19005	564.58896
5051	5050	5121	1	115.46005	366.9368
5051	5050	5122	1	115.46005	366.9368
5051	5050	5123	1	115.46005	366.9368
5051	5052	5053	1	107.97005	569.024
5051	5052	5056	1	107.97005	569.024
5050	5051	5052	1	119.54005	650.36096
5116	5115	5117	1	115.12005	335.30576
5112	5113	5114	1	122.92005	415.13648
5110	5115	5116	1	116.07005	405.17856
5110	5115	5117	1	116.07005	405.17856
5109	5108	5118	1	122.92005	415.13648
5107	5108	5118	1	122.92005	415.13648
5105	5053	5119	1	109.47005	417.39584
5105	5113	5114	1	122.92005	415.13648
5102	5060	5103	1	108.46005	328.36032
5100	5070	5101	1	108.46005	328.36032

5096	5072	5098	1	110.26005	426.18224					
5093	5073	5095	1	110.26005	426.18224					
5091	5074	5092	1	109.58005	425.5128					
5091	5071	5099	1	109.78005	425.0944					
5087	5086	5088	1	117.95005	331.03808					
5085	5086	5087	1	117.55005	404.42544					
5085	5086	5088	1	117.55005	404.42544					
5083	5078	5084	1	107.58005	329.6992					
5080	5079	5082	1	119.88005	403.17024					
5079	5078	5083	1	110.47005	391.6224					
5079	5078	5084	1	110.47005	391.6224					
5079	5080	5081	1	119.88005	403.17024					
5078	5079	5082	1	116.27505	383.405024					
5077	5076	5090	1	119.88005	403.17024					
5077	5078	5083	1	110.49005	394.80224					
5077	5078	5084	1	110.49005	394.80224					
5075	5074	5092	1	109.35005	415.4712					
5075	5076	5090	1	116.32005	422.584					
5075	5080	5081	1	116.32005	422.584					
5074	5073	5095	1	109.56005	388.19152					
5073	5072	5098	1	109.56005	388.19152					
5073	5074	5092	1	110.22005	387.02					
5073	5093	5094	1	107.26005	396.47584					
5072	5071	5099	1	109.56005	388.19152					
5072	5073	5095	1	109.56005	388.19152					
5072	5096	5097	1	107.26005	396.47584					
5071	5070	5100	1	109.56005	388.19152					
5071	5070	5101	1	109.56005	388.19152					
5071	5072	5098	1	109.56005	388.19152					
5070	5071	5099	1	109.56005	388.19152					
5069	5070	5100	1	109.78005	425.0944					
5069	5070	5101	1	109.78005	425.0944					
5061	5060	5102	1	109.78005	425.0944					
5061	5060	5103	1	109.78005	425.0944					
5060	5055	5104	1	109.56005	388.19152					
5057	5056	5059	1	110.26005	426.18224					
5056	5055	5104	1	109.56005	388.19152					
5056	5057	5058	1	107.26005	396.47584					
5056	5052	5120	1	109.56005	388.19152					
5055	5056	5059	1	109.56005	388.19152					
5055	5060	5102	1	109.56005	388.19152					
5055	5060	5103	1	109.56005	388.19152					
5054	5053	5119	1	109.58005	425.5128					
5054	5055	5104	1	109.78005	425.0944					
5053	5052	5120	1	109.56005	388.19152					
5052	5053	5119	1	110.22005	387.02					
5052	5056	5059	1	109.56005	388.19152					
5051	5052	5120	1	109.78005	425.0944					
[dihedrals]										
;										
ai	aj	ak	al	funct	c0	c1	c2	c3	c4	c5
5112	5111	5110	5115	1	180.00000		15.167	2		
5111	5106	5105	5113	1	180.00000		20.0832	2		
5110	5111	5112	5113	1	180.00000		20.0832	2		
5109	5110	5111	5112	1	180.00000		15.167	2		
5108	5107	5106	5111	1	180.00000		20.0832	2		
5108	5109	5110	5111	1	180.00000		20.0832	2		
5108	5109	5110	5115	1	180.00000		20.0832	2		
5107	5106	5105	5113	1	180.00000		20.0832	2		
5107	5106	5111	5110	1	180.00000		15.167	2		
5107	5106	5111	5112	1	180.00000		15.167	2		
5107	5108	5109	5110	1	180.00000		19.874	2		
5106	5105	5113	5112	1	180.00000		19.874	2		
5106	5107	5108	5109	1	180.00000		19.874	2		
5106	5111	5110	5109	1	180.00000		15.167	2		
5106	5111	5110	5115	1	180.00000		15.167	2		
5106	5111	5112	5113	1	180.00000		20.0832	2		
5105	5106	5107	5108	1	180.00000		20.0832	2		
5105	5106	5111	5110	1	180.00000		15.167	2		
5105	5106	5111	5112	1	180.00000		15.167	2		
5105	5113	5112	5111	1	180.00000		19.874	2		
5093	5073	5072	5096	1	0		4.9162	2		
5093	5073	5072	5096	1	0		0.6025	3		
5091	5074	5073	5093	1	0		4.9162	2		
5091	5074	5073	5093	1	0		0.6025	3		
5091	5071	5072	5096	1	0		4.9162	2		
5091	5071	5072	5096	1	0		0.6025	3		
5080	5075	5074	5091	1	0		1.2552	3		
5079	5078	5077	5085	1	0		0	3		
5078	5077	5085	5086	1	180.00000		12.029	2		
5078	5077	5085	5089	1	180.00000		12.029	2		
5077	5076	5075	5080	1	0		7.322	2		
5077	5078	5079	5080	1	0		0	2		
5076	5075	5074	5091	1	0		1.2552	3		
5076	5075	5080	5079	1	0		7.322	2		
5076	5077	5078	5079	1	0		0	3		
5076	5077	5085	5086	1	180.00000		12.029	2		

5076	5077	5085	5089	1	180.00000	12.029	2
5075	5074	5073	5093	1	0	0.65084	3
5075	5076	5077	5078	1	180.00000	2.9288	2
5075	5076	5077	5085	1	180.00000	2.9288	2
5075	5080	5079	5078	1	180.00000	15.167	2
5074	5073	5072	5096	1	0	0.65084	3
5074	5075	5076	5077	1	0	7.322	2
5074	5075	5080	5079	1	0	7.322	2
5073	5072	5071	5091	1	0	0.65084	3
5073	5074	5075	5076	1	0	1.2552	3
5073	5074	5075	5080	1	0	1.2552	3
5072	5071	5091	5074	1	180.00000	0.4184	2
5072	5071	5091	5074	1	0	1.60247	3
5072	5073	5074	5075	1	0	0.65084	3
5072	5073	5074	5091	1	0	0.65084	3
5071	5072	5073	5074	1	180.00000	0.8368	1
5071	5072	5073	5074	1	180.00000	1.046	2
5071	5072	5073	5074	1	0	0.75312	3
5071	5072	5073	5093	1	0	0.65084	3
5071	5091	5074	5073	1	180.00000	0.4184	2
5071	5091	5074	5073	1	0	1.60247	3
5071	5091	5074	5075	1	0	1.60387	3
5070	5071	5072	5073	1	180.00000	0.8368	1
5070	5071	5072	5073	1	180.00000	1.046	2
5070	5071	5072	5073	1	0	0.75312	3
5070	5071	5072	5096	1	0	0.65084	3
5070	5071	5091	5074	1	180.00000	0.4184	2
5070	5071	5091	5074	1	0	1.60247	3
5069	5070	5071	5072	1	0	0.65084	3
5069	5070	5071	5091	1	0	4.9162	2
5069	5070	5071	5091	1	0	0.6025	3
5068	5066	5069	5070	1	0	3.3472	2
5068	5066	5069	5070	1	0	2.3012	3
5067	5066	5069	5070	1	0	3.3472	2
5067	5066	5069	5070	1	0	2.3012	3
5066	5069	5070	5071	1	180.00000	16.5268	1
5066	5069	5070	5071	1	0	1.60387	3
5065	5066	5069	5070	1	0	5.0208	2
5065	5066	5069	5070	1	0	1.046	3
5064	5062	5065	5066	1	0	3.3472	2
5063	5062	5065	5066	1	0	3.3472	2
5062	5065	5066	5067	1	0	3.3472	2
5062	5065	5066	5068	1	0	3.3472	2
5062	5065	5066	5069	1	0	3.3472	2
5061	5062	5065	5066	1	0	3.3472	2
5060	5061	5062	5063	1	0	3.3472	2
5060	5061	5062	5063	1	0	2.3012	3
5060	5061	5062	5064	1	0	3.3472	2
5060	5061	5062	5064	1	0	2.3012	3
5060	5061	5062	5065	1	0	5.0208	2
5060	5061	5062	5065	1	0	1.046	3
5057	5056	5055	5060	1	0	0.65084	3
5056	5055	5060	5061	1	0	0.65084	3
5056	5052	5053	5105	1	0	0.65084	3
5055	5054	5053	5105	1	0	1.60387	3
5055	5060	5061	5062	1	180.00000	16.5268	1
5055	5060	5061	5062	1	0	1.60387	3
5054	5053	5052	5056	1	0	0.65084	3
5054	5053	5105	5106	1	0	0	3
5054	5053	5105	5113	1	0	0	3
5054	5055	5056	5057	1	0	4.9162	2
5054	5055	5056	5057	1	0	0.6025	3
5054	5055	5060	5061	1	0	4.9162	2
5054	5055	5060	5061	1	0	0.6025	3
5053	5052	5056	5055	1	180.00000	0.8368	1
5053	5052	5056	5055	1	180.00000	1.046	2
5053	5052	5056	5055	1	0	0.75312	3
5053	5052	5056	5057	1	0	0.65084	3
5053	5054	5055	5056	1	180.00000	0.4184	2
5053	5054	5055	5056	1	0	1.60247	3
5053	5054	5055	5060	1	180.00000	0.4184	2
5053	5054	5055	5060	1	0	1.60247	3
5053	5105	5106	5107	1	180.00000	20.0832	2
5053	5105	5106	5111	1	180.00000	20.0832	2
5053	5105	5113	5112	1	180.00000	19.874	2
5052	5051	5050	5121	1	0	3.3472	2
5052	5051	5050	5121	1	0	2.3012	3
5052	5051	5050	5122	1	0	3.3472	2
5052	5051	5050	5122	1	0	2.3012	3
5052	5051	5050	5123	1	0	3.3472	2
5052	5051	5050	5123	1	0	2.3012	3
5052	5053	5054	5055	1	180.00000	0.4184	2
5052	5053	5054	5055	1	0	1.60247	3
5052	5053	5105	5106	1	0	0	3
5052	5053	5105	5113	1	0	0	3
5052	5056	5055	5054	1	0	0.65084	3

5052	5056	5055	5060	1	180.00000	0.8368	1
5052	5056	5055	5060	1	180.00000	1.046	2
5052	5056	5055	5060	1	0	0.75312	3
5051	5052	5053	5054	1	0	4.9162	2
5051	5052	5053	5054	1	0	0.6025	3
5051	5052	5053	5105	1	0	0.65084	3
5051	5052	5056	5055	1	0	0.65084	3
5051	5052	5056	5057	1	0	4.9162	2
5051	5052	5056	5057	1	0	0.6025	3
5050	5051	5052	5053	1	180.00000	16.5268	1
5050	5051	5052	5053	1	0	1.60387	3
5050	5051	5052	5056	1	180.00000	16.5268	1
5050	5051	5052	5056	1	0	1.60387	3
5110	5106	5111	5112	4	180.00000	4.6024	2
5111	5115	5110	5109	4	180.00000	4.6024	2
5111	5105	5106	5107	4	180.00000	43.932	2
5106	5113	5105	5053	4	180.00000	4.6024	2
5077	5086	5085	5089	4	180.00000	43.932	2
5085	5076	5077	5078	4	180.00000	4.6024	2
5119	5053	5052	5120	1	0	0.65084	3
5113	5105	5053	5119	1	0	0	3
5111	5110	5115	5116	1	180.00000	4.3932	2
5111	5110	5115	5117	1	180.00000	4.3932	2
5111	5112	5113	5114	1	180.00000	19.874	2
5110	5109	5108	5118	1	180.00000	19.874	2
5109	5110	5115	5116	1	180.00000	4.3932	2
5109	5110	5115	5117	1	180.00000	4.3932	2
5106	5105	5053	5119	1	0	0	3
5106	5105	5113	5114	1	180.00000	19.874	2
5106	5107	5108	5118	1	180.00000	19.874	2
5105	5053	5052	5120	1	0	0.65084	3
5103	5060	5055	5104	1	0	0.65084	3
5102	5060	5055	5104	1	0	0.65084	3
5099	5071	5070	5100	1	0	0.65084	3
5099	5071	5070	5101	1	0	0.65084	3
5098	5072	5071	5099	1	0	0.65084	3
5097	5096	5072	5098	1	0	0.69733	3
5096	5072	5071	5099	1	0	1.046	1
5096	5072	5071	5099	1	0	0	3
5095	5073	5072	5096	1	0	1.046	1
5095	5073	5072	5096	1	0	0	3
5095	5073	5072	5098	1	0	0.65084	3
5094	5093	5073	5095	1	0	0.69733	3
5093	5073	5072	5098	1	0	1.046	1
5093	5073	5072	5098	1	0	0	3
5092	5074	5073	5093	1	0	0.65084	3
5092	5074	5073	5095	1	0	0.65084	3
5091	5074	5073	5095	1	0	1.046	1
5091	5074	5073	5095	1	0	0	3
5091	5071	5070	5100	1	0	1.046	1
5091	5071	5070	5100	1	0	0	3
5091	5071	5070	5101	1	0	1.046	1
5091	5071	5070	5101	1	0	0	3
5091	5071	5072	5098	1	0	1.046	1
5091	5071	5072	5098	1	0	0	3
5088	5086	5085	5089	1	0	8.368	1
5088	5086	5085	5089	1	180.00000	10.46	2
5087	5086	5085	5089	1	0	8.368	1
5087	5086	5085	5089	1	180.00000	10.46	2
5085	5077	5076	5090	1	180.00000	2.9288	2
5084	5078	5077	5085	1	0	0	3
5083	5078	5077	5085	1	0	0	3
5082	5079	5078	5083	1	0	0	2
5082	5079	5078	5084	1	0	0	2
5081	5080	5079	5082	1	180.00000	15.167	2
5080	5079	5078	5083	1	0	0	2
5080	5079	5078	5084	1	0	0	2
5080	5075	5074	5092	1	0	1.2552	3
5080	5075	5076	5090	1	0	7.322	2
5078	5077	5076	5090	1	180.00000	2.9288	2
5078	5079	5080	5081	1	180.00000	15.167	2
5077	5078	5079	5082	1	0	0	2
5077	5085	5086	5087	1	180.00000	10.46	2
5077	5085	5086	5088	1	180.00000	10.46	2
5076	5075	5074	5092	1	0	1.2552	3
5076	5075	5080	5081	1	0	7.322	2
5076	5077	5078	5083	1	0	0	3
5076	5077	5078	5084	1	0	0	3
5075	5074	5073	5095	1	0	0.65084	3
5075	5080	5079	5082	1	180.00000	15.167	2
5074	5073	5072	5098	1	0	0.65084	3
5074	5073	5093	5094	1	0	1.046	1
5074	5073	5093	5094	1	0	0.66944	3
5074	5075	5076	5090	1	0	7.322	2
5074	5075	5080	5081	1	0	7.322	2
5074	5091	5071	5099	1	0	1.60387	3

5073	5072	5071	5099	1	0	0.65084	3
5073	5072	5096	5097	1	0	1.046	1
5073	5072	5096	5097	1	0	0.66944	3
5072	5071	5070	5100	1	0	0.65084	3
5072	5071	5070	5101	1	0	0.65084	3
5072	5073	5074	5092	1	0	0.65084	3
5072	5073	5093	5094	1	0	1.046	1
5072	5073	5093	5094	1	0	0.66944	3
5071	5072	5093	5095	1	0	0.65084	3
5071	5072	5096	5097	1	0	1.046	1
5071	5072	5096	5097	1	0	0.66944	3
5071	5091	5074	5092	1	0	1.60387	3
5070	5071	5072	5098	1	0	0.65084	3
5069	5070	5071	5099	1	0	1.046	1
5069	5070	5071	5099	1	0	0	3
5066	5069	5070	5100	1	0	1.60387	3
5066	5069	5070	5101	1	0	1.60387	3
5062	5061	5060	5102	1	0	1.60387	3
5062	5061	5060	5103	1	0	1.60387	3
5061	5060	5055	5104	1	0	1.046	1
5061	5060	5055	5104	1	0	0	3
5059	5056	5055	5060	1	0	0.65084	3
5059	5056	5055	5104	1	0	0.65084	3
5059	5056	5052	5120	1	0	0.65084	3
5058	5057	5056	5059	1	0	0.69733	3
5057	5056	5055	5104	1	0	1.046	1
5057	5056	5055	5104	1	0	0	3
5057	5056	5052	5120	1	0	1.046	1
5057	5056	5052	5120	1	0	0	3
5056	5055	5060	5102	1	0	0.65084	3
5056	5055	5060	5103	1	0	0.65084	3
5056	5052	5053	5119	1	0	0.65084	3
5055	5054	5053	5119	1	0	1.60387	3
5055	5056	5057	5058	1	0	1.046	1
5055	5056	5057	5058	1	0	0.66944	3
5055	5056	5052	5120	1	0	0.65084	3
5054	5053	5052	5120	1	0	1.046	1
5054	5053	5052	5120	1	0	0	3
5054	5055	5056	5059	1	0	1.046	1
5054	5055	5056	5059	1	0	0	3
5054	5055	5060	5102	1	0	1.046	1
5054	5055	5060	5102	1	0	0	3
5054	5055	5060	5103	1	0	1.046	1
5054	5055	5060	5103	1	0	0	3
5053	5052	5056	5059	1	0	0.65084	3
5053	5054	5055	5104	1	0	1.60387	3
5053	5105	5113	5114	1	180.00000	19.874	2
5052	5056	5055	5104	1	0	0.65084	3
5052	5056	5057	5058	1	0	1.046	1
5052	5056	5057	5058	1	0	0.66944	3
5051	5052	5053	5119	1	0	0.65084	3
5051	5052	5056	5059	1	0	1.046	1
5051	5052	5056	5059	1	0	0	3
5050	5051	5052	5120	1	0	1.60387	3
5110	5116	5115	5117	4	180.000 08	4.6024	2
5114	5105	5113	5112	4	180.00000	43.932	2
5118	5107	5108	5109	4	180.00000	43.932	2
5085	5087	5086	5088	4	180.00000	4.6024	2
5079	5081	5080	5075	4	180.00000	4.6024	2
5080	5078	5079	5082	4	180.00000	4.6024	2
5077	5090	5076	5075	4	180.00000	4.6024	2

PChlide parameters from ANTECHAMBER and DFT modelling:

[atoms]

;	nr	type	resnr	residue	atom	cgnr	charge	mass	typeB	chargeB	massB
	5124	N	1	PCH	N1	1	-0.49953	14.01	;	qtot	-0.49953
	5125	CC	1	PCH	C16	1	0.380229	12.01	;	qtot	-0.119301
	5126	C*	1	PCH	C15	1	-0.212583	12.01	;	qtot	-0.331884
	5127	C*	1	PCH	C14	1	0.077312	12.01	;	qtot	-0.254572
	5128	CT	1	PCH	C29	1	-0.16082	12.01	;	qtot	-0.415392
	5129	HC	1	PCH	H23	1	0.036552	1.008	;	qtot	-0.37884
	5130	HC	1	PCH	H24	1	0.036552	1.008	;	qtot	-0.342288
	5131	HC	1	PCH	H25	1	0.036552	1.008	;	qtot	-0.305736
	5132	CD	1	PCH	C27	1	0.026312	12.01	;	qtot	-0.279424
	5133	CM	1	PCH	C28	1	-0.576324	12.01	;	qtot	-0.855748
	5134	HA	1	PCH	H21	1	0.187605	1.008	;	qtot	-0.668143
	5135	HA	1	PCH	H22	1	0.187605	1.008	;	qtot	-0.480538
	5136	HA	1	PCH	H20	1	0.106657	1.008	;	qtot	-0.373881
	5137	CD	1	PCH	C17	1	-0.453788	12.01	;	qtot	-0.827669
	5138	CC	1	PCH	C1	1	0.256454	12.01	;	qtot	-0.571215
	5139	N	1	PCH	N2	1	-0.51625	14.01	;	qtot	-1.087465
	5140	CC	1	PCH	C4	1	0.392357	12.01	;	qtot	-0.695108
	5141	C*	1	PCH	C3	1	-0.393595	12.01	;	qtot	-1.088703
	5142	C*	1	PCH	C2	1	0.110842	12.01	;	qtot	-0.977861
	5143	CT	1	PCH	C26	1	-0.197749	12.01	;	qtot	-1.17561
	5144	HC	1	PCH	H17	1	0.049179	1.008	;	qtot	-1.126431

5145	HC	1	PCH	H18	1	0.049179	1.008	;	qtot	-1.077252
5146	HC	1	PCH	H19	1	0.049179	1.008	;	qtot	-1.028073
5147	CT	1	PCH	C24	1	0.317254	12.01	;	qtot	-0.710819
5148	CT	1	PCH	C25	1	-0.190886	12.01	;	qtot	-0.901705
5149	HC	1	PCH	H14	1	0.033443	1.008	;	qtot	-0.868262
5150	HC	1	PCH	H15	1	0.033443	1.008	;	qtot	-0.834819
5151	HC	1	PCH	H16	1	0.033443	1.008	;	qtot	-0.801376
5152	HC	1	PCH	H12	1	-0.067431	1.008	;	qtot	-0.868807
5153	HC	1	PCH	H13	1	-0.067431	1.008	;	qtot	-0.936238
5154	CD	1	PCH	C18	1	-0.419627	12.01	;	qtot	-1.355865
5155	CC	1	PCH	C5	1	0.263348	12.01	;	qtot	-1.092517
5156	N	1	PCH	N3	1	-0.47848	14.01	;	qtot	-1.570997
5157	CC	1	PCH	C8	1	0.180586	12.01	;	qtot	-1.390411
5158	C*	1	PCH	C7	1	-0.362807	12.01	;	qtot	-1.753218
5159	C*	1	PCH	C6	1	0.068786	12.01	;	qtot	-1.684432
5160	CT	1	PCH	C23	1	-0.261748	12.01	;	qtot	-1.94618
5161	HC	1	PCH	H9	1	0.068421	1.008	;	qtot	-1.877759
5162	HC	1	PCH	H10	1	0.068421	1.008	;	qtot	-1.809338
5163	HC	1	PCH	H11	1	0.068421	1.008	;	qtot	-1.740917
5164	C	1	PCH	C30	1	0.800656	12.01	;	qtot	-0.940261
5165	CT	1	PCH	C31	1	-0.760914	12.01	;	qtot	-1.701175
5166	CD	1	PCH	C19	1	0.169165	12.01	;	qtot	-1.53201
5167	CC	1	PCH	C9	1	0.170678	12.01	;	qtot	-1.361332
5168	N	1	PCH	N4	1	-0.58267	14.01	;	qtot	-1.944002
5169	CC	1	PCH	C12	1	0.395672	12.01	;	qtot	-1.54833
5170	C*	1	PCH	C11	1	-0.001354	12.01	;	qtot	-1.549684
5171	C*	1	PCH	C10	1	-0.112775	12.01	;	qtot	-1.662459
5172	CT	1	PCH	C22	1	-0.037798	12.01	;	qtot	-1.700257
5173	CT	1	PCH	C33	1	-0.064751	12.01	;	qtot	-1.765008
5174	C	1	PCH	C34	1	0.836425	12.01	;	qtot	-0.928583
5175	O2	1	PCH	O2	1	-0.826616	16	;	qtot	-1.755199
5176	O2	1	PCH	O3	1	-0.826616	16	;	qtot	-2.581815
5177	HC	1	PCH	H27	1	0.023741	1.008	;	qtot	-2.558074
5178	HC	1	PCH	H28	1	0.023741	1.008	;	qtot	-2.534333
5179	HC	1	PCH	H7	1	0.035214	1.008	;	qtot	-2.499119
5180	HC	1	PCH	H8	1	0.035214	1.008	;	qtot	-2.463905
5181	CT	1	PCH	C21	1	-0.451486	12.01	;	qtot	-2.915391
5182	HC	1	PCH	H4	1	0.120501	1.008	;	qtot	-2.79489
5183	HC	1	PCH	H5	1	0.120501	1.008	;	qtot	-2.674389
5184	HC	1	PCH	H6	1	0.120501	1.008	;	qtot	-2.553888
5185	CD	1	PCH	C20	1	-0.407613	12.01	;	qtot	-2.961501
5186	HA	1	PCH	H3	1	0.147682	1.008	;	qtot	-2.813819
5187	C	1	PCH	C32	1	0.989123	12.01	;	qtot	-1.824696
5188	OS	1	PCH	O4	1	-0.438966	16	;	qtot	-2.263662
5189	CT	1	PCH	C35	1	0.028714	12.01	;	qtot	-2.234948
5190	H1	1	PCH	H29	1	0.061439	1.008	;	qtot	-2.173509
5191	H1	1	PCH	H30	1	0.061439	1.008	;	qtot	-2.11207
5192	H1	1	PCH	H31	1	0.061439	1.008	;	qtot	-2.050631
5193	O	1	PCH	O5	1	-0.593362	16	;	qtot	-2.643993
5194	HC	1	PCH	H26	1	0.247358	1.008	;	qtot	-2.396635
5195	O	1	PCH	O1	1	-0.644309	16	;	qtot	-3.040944
5196	HA	1	PCH	H2	1	0.178963	1.008	;	qtot	-2.861981
5197	HA	1	PCH	H1	1	0.145857	1.008	;	qtot	-2.716124
5198	CC	1	PCH	C13	1	0.216127	12.01	;	qtot	-2.499997
5199	MG	1	PCH	MG	1	1.5	45.561	;	qtot	-0.999997
[bonds]										
;	ai	aj	funct	c0	c1	c2	c3			
	5193	5189	1	0.1432	258236.48					
	5187	5188	1	0.1358	327021.44					
	5187	5193	1	0.1432	258236.48					
	5185	5198	1	0.1428	351288.64					
	5174	5175	1	0.1218	533627.36					
	5174	5176	1	0.1218	533627.36					
	5173	5174	1	0.1524	261918.4					
	5172	5173	1	0.1538	251793.12					
	5171	5172	1	0.1502	280160.64					
	5170	5171	1	0.1428	351288.64					
	5170	5181	1	0.1502	280160.64					
	5169	5170	1	0.1428	351288.64					
	5169	5185	1	0.1428	351288.64					
	5168	5169	1	0.1369	369112.48					
	5167	5168	1	0.1369	369112.48					
	5167	5171	1	0.1428	351288.64					
	5166	5167	1	0.1428	351288.64					
	5165	5166	1	0.1502	280160.64					
	5165	5187	1	0.1524	261918.4					
	5164	5165	1	0.1524	261918.4					
	5164	5195	1	0.1218	533627.36					
	5159	5160	1	0.1502	280160.64					
	5158	5159	1	0.1428	351288.64					
	5158	5164	1	0.1468	310452.8					
	5157	5158	1	0.1428	351288.64					
	5157	5166	1	0.1428	351288.64					
	5156	5157	1	0.1369	369112.48					
	5155	5156	1	0.1369	369112.48					
	5155	5159	1	0.1428	351288.64					

5154	5155	1	0.1428	351288.64
5147	5148	1	0.1538	251793.12
5142	5143	1	0.1502	280160.64
5141	5142	1	0.1428	351288.64
5141	5147	1	0.1502	280160.64
5140	5141	1	0.1428	351288.64
5140	5154	1	0.1428	351288.64
5139	5140	1	0.1369	369112.48
5138	5139	1	0.1369	369112.48
5138	5142	1	0.1428	351288.64
5137	5138	1	0.1428	351288.64
5132	5133	1	0.1456	322251.68
5127	5128	1	0.1502	280160.64
5127	5198	1	0.1428	351288.64
5126	5127	1	0.1428	351288.64
5126	5132	1	0.1428	351288.64
5125	5126	1	0.1428	351288.64
5125	5137	1	0.1428	351288.64
5124	5125	1	0.1369	369112.48
5124	5198	1	0.1369	369112.48
5189	5190	1	0.1097	276646.08
5189	5191	1	0.1097	276646.08
5189	5192	1	0.1097	276646.08
5185	5186	1	0.1084	292126.88
5181	5182	1	0.1097	276646.08
5181	5183	1	0.1097	276646.08
5181	5184	1	0.1097	276646.08
5173	5177	1	0.1097	276646.08
5173	5178	1	0.1097	276646.08
5172	5179	1	0.1097	276646.08
5172	5180	1	0.1097	276646.08
5165	5194	1	0.1097	276646.08
5160	5161	1	0.1097	276646.08
5160	5162	1	0.1097	276646.08
5160	5163	1	0.1097	276646.08
5154	5196	1	0.1084	292126.88
5148	5149	1	0.1097	276646.08
5148	5150	1	0.1097	276646.08
5148	5151	1	0.1097	276646.08
5147	5152	1	0.1097	276646.08
5147	5153	1	0.1097	276646.08
5143	5144	1	0.1097	276646.08
5143	5145	1	0.1097	276646.08
5143	5146	1	0.1097	276646.08
5137	5197	1	0.1084	292126.88
5133	5134	1	0.1086	289365.44
5133	5135	1	0.1086	289365.44
5132	5136	1	0.1084	292126.88
5128	5129	1	0.1097	276646.08
5128	5130	1	0.1097	276646.08
5128	5131	1	0.1097	276646.08
5124	5199	1	0.2055	82266
5139	5199	1	0.2055	82266
5156	5199	1	0.2055	82266
5168	5199	1	0.2055	82266

[pairs]

	ai	aj	funct
	5187	5195	1
	5181	5185	1
	5172	5181	1
	5172	5175	1
	5172	5176	1
	5171	5185	1
	5171	5174	1
	5170	5198	1
	5170	5173	1
	5169	5172	1
	5168	5172	1
	5168	5181	1
	5168	5198	1
	5167	5187	1
	5167	5185	1
	5167	5181	1
	5167	5173	1
	5166	5195	1
	5166	5188	1
	5166	5193	1
	5166	5169	1
	5166	5170	1
	5166	5172	1
	5165	5168	1
	5165	5171	1
	5165	5189	1
	5164	5167	1
	5164	5188	1
	5164	5193	1

5160	5164	1
5159	5166	1
5159	5165	1
5159	5195	1
5158	5167	1
5158	5187	1
5157	5160	1
5157	5195	1
5157	5187	1
5157	5168	1
5157	5171	1
5156	5160	1
5156	5164	1
5156	5165	1
5156	5167	1
5155	5166	1
5155	5164	1
5154	5157	1
5154	5158	1
5154	5160	1
5147	5154	1
5143	5147	1
5142	5154	1
5142	5148	1
5141	5155	1
5140	5143	1
5140	5148	1
5140	5156	1
5140	5159	1
5139	5143	1
5139	5147	1
5139	5155	1
5138	5154	1
5138	5147	1
5137	5198	1
5137	5140	1
5137	5141	1
5137	5143	1
5132	5137	1
5132	5198	1
5128	5132	1
5128	5185	1
5127	5137	1
5127	5133	1
5127	5169	1
5126	5138	1
5126	5185	1
5125	5185	1
5125	5128	1
5125	5133	1
5125	5139	1
5125	5142	1
5124	5132	1
5124	5138	1
5124	5128	1
5124	5169	1
5194	5195	1
5193	5194	1
5188	5194	1
5187	5190	1
5187	5191	1
5187	5192	1
5178	5179	1
5178	5180	1
5177	5179	1
5177	5180	1
5176	5177	1
5176	5178	1
5175	5177	1
5175	5178	1
5174	5179	1
5174	5180	1
5171	5182	1
5171	5183	1
5171	5184	1
5171	5177	1
5171	5178	1
5170	5186	1
5170	5179	1
5170	5180	1
5169	5182	1
5169	5183	1
5169	5184	1
5168	5186	1
5167	5194	1
5167	5179	1

5167	5180	1						
5159	5196	1						
5158	5161	1						
5158	5162	1						
5158	5163	1						
5158	5194	1						
5157	5194	1						
5156	5196	1						
5155	5161	1						
5155	5162	1						
5155	5163	1						
5151	5152	1						
5151	5153	1						
5150	5152	1						
5150	5153	1						
5149	5152	1						
5149	5153	1						
5142	5152	1						
5142	5153	1						
5142	5197	1						
5141	5196	1						
5141	5144	1						
5141	5145	1						
5141	5146	1						
5141	5149	1						
5141	5150	1						
5141	5151	1						
5140	5152	1						
5140	5153	1						
5139	5197	1						
5139	5196	1						
5138	5144	1						
5138	5145	1						
5138	5146	1						
5135	5136	1						
5134	5136	1						
5131	5198	1						
5130	5198	1						
5129	5198	1						
5127	5136	1						
5127	5186	1						
5126	5197	1						
5126	5129	1						
5126	5130	1						
5126	5131	1						
5126	5134	1						
5126	5135	1						
5125	5136	1						
5124	5197	1						
5124	5186	1						
5124	5199	1						
5139	5199	1						
5156	5199	1						
5168	5199	1						
5124	5139	1						
5124	5156	1						
5124	5168	1						
5139	5156	1						
5139	5168	1						
5156	5168	1						
5125	5199	1						
5138	5199	1						
5167	5199	1						
5155	5199	1						
5185	5199	1						
5166	5199	1						
5154	5199	1						
5137	5199	1						
[angles]								
;	ai	aj	ak	funct	c0	c1	c2	c3
	5188	5187	5193	1	123.25005	630.27776		
	5187	5193	5189	1	115.98005	529.52704		
	5175	5174	5176	1	130.25006	652.20192		
	5173	5174	5175	1	123.20005	564.0032		
	5173	5174	5176	1	123.20005	564.0032		
	5172	5173	5174	1	111.04005	529.44336		
	5171	5170	5181	1	115.97005	540.74016		
	5171	5172	5173	1	111.93005	531.11696		
	5170	5169	5185	1	110.70005	568.52192		
	5170	5171	5172	1	115.97005	540.74016		
	5169	5170	5171	1	110.70005	568.52192		
	5169	5170	5181	1	115.97005	540.74016		
	5169	5185	5198	1	110.70005	568.52192		
	5168	5167	5171	1	121.98005	565.92784		
	5168	5169	5170	1	121.98005	565.92784		
	5168	5169	5185	1	121.98005	565.92784		

5167	5168	5169	1	103.76004	594.37904
5167	5171	5170	1	110.70005	568.52192
5167	5171	5172	1	115.97005	540.74016
5166	5165	5187	1	113.17005	530.61488
5166	5167	5168	1	121.98005	565.92784
5166	5167	5171	1	110.70005	568.52192
5165	5164	5195	1	123.20005	564.0032
5165	5166	5167	1	115.97005	540.74016
5165	5187	5188	1	110.72005	576.47152
5165	5187	5193	1	123.20005	564.0032
5164	5165	5166	1	113.17005	530.61488
5164	5165	5187	1	111.63005	530.36384
5159	5158	5164	1	122.69005	532.37216
5158	5157	5166	1	110.70005	568.52192
5158	5159	5160	1	115.97005	540.74016
5158	5164	5165	1	117.29005	526.7656
5158	5164	5195	1	123.93005	578.56352
5157	5158	5159	1	110.70005	568.52192
5157	5158	5164	1	122.69005	532.37216
5157	5166	5165	1	115.97005	540.74016
5157	5166	5167	1	110.70005	568.52192
5156	5155	5159	1	121.98005	565.92784
5156	5157	5158	1	121.98005	565.92784
5156	5157	5166	1	121.98005	565.92784
5155	5156	5157	1	103.76004	594.37904
5155	5159	5158	1	110.70005	568.52192
5155	5159	5160	1	115.97005	540.74016
5154	5155	5156	1	121.98005	565.92784
5154	5155	5159	1	110.70005	568.52192
5142	5141	5147	1	115.97005	540.74016
5141	5140	5154	1	110.70005	568.52192
5141	5142	5143	1	115.97005	540.74016
5141	5147	5148	1	111.93005	531.11696
5140	5141	5142	1	110.70005	568.52192
5140	5141	5147	1	115.97005	540.74016
5140	5154	5155	1	110.70005	568.52192
5139	5138	5142	1	121.98005	565.92784
5139	5140	5141	1	121.98005	565.92784
5139	5140	5154	1	121.98005	565.92784
5138	5139	5140	1	103.76004	594.37904
5138	5142	5141	1	110.70005	568.52192
5138	5142	5143	1	115.97005	540.74016
5137	5138	5139	1	121.98005	565.92784
5137	5138	5142	1	110.70005	568.52192
5128	5127	5198	1	115.97005	540.74016
5127	5126	5132	1	110.70005	568.52192
5127	5198	5185	1	110.70005	568.52192
5126	5125	5137	1	110.70005	568.52192
5126	5127	5128	1	115.97005	540.74016
5126	5127	5198	1	110.70005	568.52192
5126	5132	5133	1	111.04005	562.07856
5125	5124	5198	1	103.76004	594.37904
5125	5126	5127	1	110.70005	568.52192
5125	5126	5132	1	110.70005	568.52192
5125	5137	5138	1	110.70005	568.52192
5124	5125	5126	1	121.98005	565.92784
5124	5125	5137	1	121.98005	565.92784
5124	5198	5127	1	121.98005	565.92784
5124	5198	5185	1	121.98005	565.92784
5191	5189	5192	1	108.46005	328.36032
5190	5189	5191	1	108.46005	328.36032
5190	5189	5192	1	108.46005	328.36032
5188	5189	5190	1	109.78005	425.0944
5193	5189	5191	1	109.78005	425.0944
5193	5189	5192	1	109.78005	425.0944
5187	5165	5194	1	108.77005	392.71024
5186	5185	5198	1	121.07005	394.5512
5183	5181	5184	1	107.58005	329.6992
5182	5181	5183	1	107.58005	329.6992
5182	5181	5184	1	107.58005	329.6992
5179	5172	5180	1	107.58005	329.6992
5177	5173	5178	1	107.58005	329.6992
5174	5173	5177	1	108.77005	392.71024
5174	5173	5178	1	108.77005	392.71024
5173	5172	5179	1	109.80005	387.77312
5173	5172	5180	1	109.80005	387.77312
5172	5173	5177	1	109.80005	387.77312
5172	5173	5178	1	109.80005	387.77312
5171	5172	5179	1	110.49005	394.80224
5171	5172	5180	1	110.49005	394.80224
5170	5181	5182	1	110.49005	394.80224
5170	5181	5183	1	110.49005	394.80224
5170	5181	5184	1	110.49005	394.80224
5169	5185	5186	1	121.07005	394.5512
5166	5165	5194	1	110.49005	394.80224
5164	5165	5194	1	108.77005	392.71024

5162	5160	5163	1	107.58005	329.6992					
5161	5160	5162	1	107.58005	329.6992					
5161	5160	5163	1	107.58005	329.6992					
5159	5160	5161	1	110.49005	394.80224					
5159	5160	5162	1	110.49005	394.80224					
5159	5160	5163	1	110.49005	394.80224					
5155	5154	5196	1	121.07005	394.5512					
5152	5147	5153	1	107.58005	329.6992					
5150	5148	5151	1	107.58005	329.6992					
5149	5148	5150	1	107.58005	329.6992					
5149	5148	5151	1	107.58005	329.6992					
5148	5147	5152	1	109.80005	387.77312					
5148	5147	5153	1	109.80005	387.77312					
5147	5148	5149	1	109.80005	387.77312					
5147	5148	5150	1	109.80005	387.77312					
5147	5148	5151	1	109.80005	387.77312					
5145	5143	5146	1	107.58005	329.6992					
5144	5143	5145	1	107.58005	329.6992					
5144	5143	5146	1	107.58005	329.6992					
5142	5143	5144	1	110.49005	394.80224					
5142	5143	5145	1	110.49005	394.80224					
5142	5143	5146	1	110.49005	394.80224					
5141	5147	5152	1	110.49005	394.80224					
5141	5147	5153	1	110.49005	394.80224					
5140	5154	5196	1	121.07005	394.5512					
5138	5137	5197	1	121.07005	394.5512					
5134	5133	5135	1	116.90005	318.879376					
5133	5132	5136	1	124.04005	383.50544					
5132	5133	5134	1	119.88005	403.17024					
5132	5133	5135	1	119.88005	403.17024					
5130	5128	5131	1	107.58005	329.6992					
5129	5128	5130	1	107.58005	329.6992					
5129	5128	5131	1	107.58005	329.6992					
5127	5128	5129	1	110.49005	394.80224					
5127	5128	5130	1	110.49005	394.80224					
5127	5128	5131	1	110.49005	394.80224					
5126	5132	5136	1	121.07005	394.5512					
5125	5137	5197	1	121.07005	394.5512					
5124	5199	5139	1	90	655					
5139	5199	5156	1	90	655					
5156	5199	5168	1	90	655					
5168	5199	5124	1	90	655					
5124	5199	5156	1	180	655					
5139	5199	5168	1	180	655					
5199	5124	5125	1	126.439	526.38					
5199	5139	5138	1	126.439	526.38					
5199	5156	5157	1	126.439	526.38					
5199	5168	5167	1	126.439	526.38					
5141	5199	5170	1	180	110					
5158	5199	5126	1	180	110					
[dihedrals]										
;										
ai	aj	ak	al	funct	c0	c1	c2	c3	c4	c5
5189	5188	5187	5193	1	180.00000	5.8576	1			
5189	5188	5187	5193	1	180.00000	11.2968	2			
5187	5165	5164	5195	1	180.00000	0	2			
5181	5170	5169	5185	1	180.00000	16.736	2			
5172	5171	5170	5181	1	180.00000	16.736	2			
5172	5173	5174	5175	1	180.00000	0	2			
5172	5173	5174	5176	1	180.00000	0	2			
5171	5170	5169	5185	1	180.00000	16.736	2			
5171	5172	5173	5174	1	0	0.65084	3			
5170	5169	5185	5198	1	180.00000	16.736	2			
5170	5171	5172	5173	1	0	0	3			
5169	5168	5167	5171	1	180.00000	19.874	2			
5169	5170	5171	5172	1	180.00000	16.736	2			
5168	5167	5171	5170	1	180.00000	16.736	2			
5168	5167	5171	5172	1	180.00000	16.736	2			
5168	5169	5170	5171	1	180.00000	16.736	2			
5168	5169	5170	5181	1	180.00000	16.736	2			
5168	5169	5185	5198	1	180.00000	16.736	2			
5167	5166	5165	5187	1	0	0	3			
5167	5168	5169	5170	1	180.00000	19.874	2			
5167	5168	5169	5185	1	180.00000	19.874	2			
5167	5171	5170	5169	1	180.00000	16.736	2			
5167	5171	5170	5181	1	180.00000	16.736	2			
5167	5171	5172	5173	1	0	0	3			
5166	5165	5164	5195	1	180.00000	0	2			
5166	5165	5187	5188	1	180.00000	0	2			
5166	5165	5187	5193	1	180.00000	0	2			
5166	5167	5168	5169	1	180.00000	19.874	2			
5166	5167	5171	5170	1	180.00000	16.736	2			
5166	5167	5171	5172	1	180.00000	16.736	2			
5165	5166	5167	5168	1	180.00000	16.736	2			
5165	5166	5167	5171	1	180.00000	16.736	2			
5165	5187	5193	5189	1	0	0	1			
5165	5187	5193	5189	1	180.00000	11.2968	2			

5165	5187	5193	5189	1	0	4.8116	3
5164	5158	5157	5166	1	180.00000	16.736	2
5164	5165	5166	5167	1	0	0	3
5164	5165	5187	5188	1	180.00000	0	2
5164	5165	5187	5193	1	180.00000	0	2
5160	5159	5158	5164	1	180.00000	16.736	2
5159	5158	5157	5166	1	180.00000	16.736	2
5159	5158	5164	5165	1	180.00000	12.029	2
5159	5158	5164	5195	1	180.00000	12.029	2
5158	5157	5166	5165	1	180.00000	16.736	2
5158	5157	5166	5167	1	180.00000	16.736	2
5158	5164	5165	5166	1	180.00000	0	2
5158	5164	5165	5187	1	180.00000	0	2
5157	5156	5155	5159	1	180.00000	19.874	2
5157	5158	5159	5160	1	180.00000	16.736	2
5157	5158	5164	5165	1	180.00000	12.029	2
5157	5158	5164	5195	1	180.00000	12.029	2
5157	5166	5165	5164	1	0	0	3
5157	5166	5165	5187	1	0	0	3
5157	5166	5167	5168	1	180.00000	16.736	2
5157	5166	5167	5171	1	180.00000	16.736	2
5156	5155	5159	5158	1	180.00000	16.736	2
5156	5155	5159	5160	1	180.00000	16.736	2
5156	5157	5158	5159	1	180.00000	16.736	2
5156	5157	5158	5164	1	180.00000	16.736	2
5156	5157	5166	5165	1	180.00000	16.736	2
5156	5157	5166	5167	1	180.00000	16.736	2
5155	5156	5157	5158	1	180.00000	19.874	2
5155	5156	5157	5166	1	180.00000	19.874	2
5155	5159	5158	5157	1	180.00000	16.736	2
5155	5159	5158	5164	1	180.00000	16.736	2
5154	5155	5156	5157	1	180.00000	19.874	2
5154	5155	5159	5158	1	180.00000	16.736	2
5154	5155	5159	5160	1	180.00000	16.736	2
5147	5141	5140	5154	1	180.00000	16.736	2
5143	5142	5141	5147	1	180.00000	16.736	2
5142	5141	5140	5154	1	180.00000	16.736	2
5142	5141	5147	5148	1	0	0	3
5141	5140	5154	5155	1	180.00000	16.736	2
5140	5139	5138	5142	1	180.00000	19.874	2
5140	5141	5142	5143	1	180.00000	16.736	2
5140	5141	5147	5148	1	0	0	3
5140	5154	5155	5156	1	180.00000	16.736	2
5140	5154	5155	5159	1	180.00000	16.736	2
5139	5138	5142	5141	1	180.00000	16.736	2
5139	5138	5142	5143	1	180.00000	16.736	2
5139	5140	5141	5142	1	180.00000	16.736	2
5139	5140	5141	5147	1	180.00000	16.736	2
5139	5140	5154	5155	1	180.00000	16.736	2
5138	5139	5140	5141	1	180.00000	19.874	2
5138	5139	5140	5154	1	180.00000	19.874	2
5138	5142	5141	5140	1	180.00000	16.736	2
5138	5142	5141	5147	1	180.00000	16.736	2
5137	5125	5124	5198	1	180.00000	19.874	2
5137	5138	5139	5140	1	180.00000	19.874	2
5137	5138	5142	5141	1	180.00000	16.736	2
5137	5138	5142	5143	1	180.00000	16.736	2
5132	5126	5125	5137	1	180.00000	16.736	2
5132	5126	5127	5198	1	180.00000	16.736	2
5128	5127	5126	5132	1	180.00000	16.736	2
5128	5127	5198	5185	1	180.00000	16.736	2
5127	5126	5125	5137	1	180.00000	16.736	2
5127	5126	5132	5133	1	180.00000	16.736	2
5127	5198	5185	5169	1	180.00000	16.736	2
5126	5125	5124	5198	1	180.00000	19.874	2
5126	5125	5137	5138	1	180.00000	16.736	2
5126	5127	5198	5185	1	180.00000	16.736	2
5125	5124	5198	5127	1	180.00000	19.874	2
5125	5124	5198	5185	1	180.00000	19.874	2
5125	5126	5127	5128	1	180.00000	16.736	2
5125	5126	5127	5198	1	180.00000	16.736	2
5125	5126	5132	5133	1	180.00000	16.736	2
5125	5137	5138	5139	1	180.00000	16.736	2
5125	5137	5138	5142	1	180.00000	16.736	2
5124	5125	5126	5127	1	180.00000	16.736	2
5124	5125	5126	5132	1	180.00000	16.736	2
5124	5125	5137	5138	1	180.00000	16.736	2
5124	5198	5127	5126	1	180.00000	16.736	2
5124	5198	5127	5128	1	180.00000	16.736	2
5124	5198	5185	5169	1	180.00000	16.736	2
5127	5185	5198	5124	4	180.00000	4.6024	2
5165	5193	5187	5188	4	180.00000	4.6024	2
5173	5175	5174	5176	4	180.00000	4.6024	2
5170	5167	5171	5172	4	180.00000	4.6024	2
5171	5169	5170	5181	4	180.00000	4.6024	2
5170	5185	5169	5168	4	180.00000	4.6024	2

5171	5166	5167	5168	4	180.00000	4.6024	2
5157	5167	5166	5165	4	180.00000	4.6024	2
5158	5165	5164	5195	4	180.00000	43.932	2
5158	5155	5159	5160	4	180.00000	4.6024	2
5164	5159	5158	5157	4	180.00000	4.6024	2
5158	5166	5157	5156	4	180.00000	4.6024	2
5159	5154	5155	5156	4	180.00000	4.6024	2
5141	5138	5142	5143	4	180.00000	4.6024	2
5142	5140	5141	5147	4	180.00000	4.6024	2
5141	5154	5140	5139	4	180.00000	4.6024	2
5142	5137	5138	5139	4	180.00000	4.6024	2
5126	5198	5127	5128	4	180.00000	4.6024	2
5127	5125	5126	5132	4	180.00000	4.6024	2
5126	5137	5125	5124	4	180.00000	4.6024	2
5194	5165	5164	5195	1	0	3.3472	1
5194	5165	5164	5195	1	0	0	2
5194	5165	5164	5195	1	180.00000	0.33472	3
5193	5187	5165	5194	1	0	3.3472	1
5193	5187	5165	5194	1	0	0	2
5193	5187	5165	5194	1	180.00000	0.33472	3
5188	5187	5165	5194	1	180.00000	0	2
5187	5193	5189	5190	1	0	1.60387	3
5187	5193	5189	5191	1	0	1.60387	3
5187	5193	5189	5192	1	0	1.60387	3
5178	5173	5172	5179	1	0	0.6276	3
5178	5173	5172	5180	1	0	0.6276	3
5177	5173	5172	5179	1	0	0.6276	3
5177	5173	5172	5180	1	0	0.6276	3
5176	5174	5173	5177	1	0	3.3472	1
5176	5174	5173	5177	1	0	0	2
5176	5174	5173	5177	1	180.00000	0.33472	3
5176	5174	5173	5178	1	0	3.3472	1
5176	5174	5173	5178	1	0	0	2
5176	5174	5173	5178	1	180.00000	0.33472	3
5175	5174	5173	5177	1	0	3.3472	1
5175	5174	5173	5177	1	0	0	2
5175	5174	5173	5177	1	180.00000	0.33472	3
5175	5174	5173	5178	1	0	3.3472	1
5175	5174	5173	5178	1	0	0	2
5175	5174	5173	5178	1	180.00000	0.33472	3
5174	5173	5172	5179	1	0	0.65084	3
5174	5173	5172	5180	1	0	0.65084	3
5171	5170	5181	5182	1	0	0	3
5171	5170	5181	5183	1	0	0	3
5171	5170	5181	5184	1	0	0	3
5171	5172	5173	5177	1	0	0.65084	3
5171	5172	5173	5178	1	0	0.65084	3
5170	5169	5185	5186	1	180.00000	16.736	2
5170	5171	5172	5179	1	0	0	3
5170	5171	5172	5180	1	0	0	3
5169	5170	5181	5182	1	0	0	3
5169	5170	5181	5183	1	0	0	3
5169	5170	5181	5184	1	0	0	3
5168	5169	5185	5186	1	180.00000	16.736	2
5167	5166	5165	5194	1	0	0	3
5167	5171	5172	5179	1	0	0	3
5167	5171	5172	5180	1	0	0	3
5159	5155	5154	5196	1	180.00000	16.736	2
5158	5159	5160	5161	1	0	0	3
5158	5159	5160	5162	1	0	0	3
5158	5159	5160	5163	1	0	0	3
5158	5164	5165	5194	1	180.00000	0	2
5157	5166	5165	5194	1	0	0	3
5156	5155	5154	5196	1	180.00000	16.736	2
5155	5159	5160	5161	1	0	0	3
5155	5159	5160	5162	1	0	0	3
5155	5159	5160	5163	1	0	0	3
5151	5148	5147	5152	1	0	0.6276	3
5151	5148	5147	5153	1	0	0.6276	3
5150	5148	5147	5152	1	0	0.6276	3
5150	5148	5147	5153	1	0	0.6276	3
5149	5148	5147	5152	1	0	0.6276	3
5149	5148	5147	5153	1	0	0.6276	3
5142	5141	5147	5152	1	0	0	3
5142	5141	5147	5153	1	0	0	3
5142	5138	5137	5197	1	180.00000	16.736	2
5141	5140	5154	5196	1	180.00000	16.736	2
5141	5142	5143	5144	1	0	0	3
5141	5142	5143	5145	1	0	0	3
5141	5142	5143	5146	1	0	0	3
5141	5147	5148	5149	1	0	0.65084	3
5141	5147	5148	5150	1	0	0.65084	3
5141	5147	5148	5151	1	0	0.65084	3
5140	5141	5147	5152	1	0	0	3
5140	5141	5147	5153	1	0	0	3
5139	5138	5137	5197	1	180.00000	16.736	2

5139	5140	5154	5196	1	180.00000	16.736	2
5138	5142	5143	5144	1	0	0	3
5138	5142	5143	5145	1	0	0	3
5138	5142	5143	5146	1	0	0	3
5135	5133	5132	5136	1	180.00000	2.9288	2
5134	5133	5132	5136	1	180.00000	2.9288	2
5131	5128	5127	5198	1	0	0	3
5130	5128	5127	5198	1	0	0	3
5129	5128	5127	5198	1	0	0	3
5127	5126	5132	5136	1	180.00000	16.736	2
5127	5198	5185	5186	1	180.00000	16.736	2
5126	5125	5137	5197	1	180.00000	16.736	2
5126	5127	5128	5129	1	0	0	3
5126	5127	5128	5130	1	0	0	3
5126	5127	5128	5131	1	0	0	3
5126	5132	5133	5134	1	180.00000	2.9288	2
5126	5132	5133	5135	1	180.00000	2.9288	2
5125	5126	5132	5136	1	180.00000	16.736	2
5124	5125	5137	5197	1	180.00000	16.736	2
5124	5198	5185	5186	1	180.00000	16.736	2
5169	5198	5185	5186	1	180.00000	4.6024	2
5140	5155	5154	5196	1	180.00000	4.6024	2
5125	5138	5137	5197	1	180.00000	4.6024	2
5132	5134	5133	5135	1	180.00000	4.6024	2
5126	5133	5132	5136	1	180.00000	4.6024	2
5185	5198	5124	5199	4	0	49.712	2
5166	5167	5168	5199	4	0	49.712	2
5154	5155	5156	5199	4	0	49.712	2
5137	5138	5139	5199	4	0	49.712	2
5199	5124	5139	5156	4	0	49.712	2
5125	5124	5198	5199	4	-180	47.674	2
5138	5139	5140	5199	4	-180	47.674	2
5155	5156	5157	5199	4	-180	47.674	2
5167	5168	5169	5199	4	-180	47.674	2